

References on collapse calderas compiled by JHG (updated 07.12.06)

- Abers, G., 1985. The subsurface structure of Long Valley Caldera, Mono County, California; a preliminary synthesis of gravity, seismic, and drilling information. *JGR. Journal of Geophysical Research. B*, 90(5): 3627-3636.
- Ablay, G.J., Ernst, G.G.J., Marti, J. and Sparks, R.S.J., 1995. The ~ 2 ka subplinian eruption of Montana Blanca, Tenerife. *Bulletin of Volcanology*, 57(5): 337-355.
- Ach, J.A., Swisher, C.C. and Anonymous, 1990. The High Rock caldera complex; nested "failed" calderas in northwestern Nevada. *Eos, Transactions, American Geophysical Union*, 71(43): 1614.
- Acocella, V., 2006a. Caldera types: How end-members relate to evolutionary stages of collapse. *Geophys. Res. Lett.*, 33 (L18314, doi:10.1029/2006GL027434).
- Acocella, V., 2006b. Regional and local tectonics at Erta Ale caldera, Afar (Ethiopia). *Journal of Structural Geology*, 28(1808-1820).
- Acocella, V., Cifelli, F. and Funiciello, R., 2000. Analogue models of collapse calderas and resurgent domes. *Journal of Volcanology and Geothermal Research*, 104(1-4): 81-96.
- Acocella, V., Cifelli, F. and Funiciello, R., 2001. Formation of nonintersecting nested calderas: insights from analogue models. *Terra Nova*, 13: 58-63.
- Acocella, V., Funiciello, R., Marotta, E., Orsi, G. and de Vita, S., 2004. The role of extensional structures on experimental calderas and resurgence. *Journal of Volcanology and Geothermal Research*, 129(1-3): 199-217.
- Acocella, V., Korme, T., F., S. and Funiciello, R., 2002. Elliptic calderas in the Ethiopian Rift: control of pre-existing structures. *Journal of Volcanology and Geothermal Research*, 119: 189-203.
- Aguirre-Díaz, G.J., 2001. Recurrent magma mingling in successive ignimbrites from Amealco caldera, central Mexico. *Bulletin of Volcanology*, 63(4): 238-251.
- Alatorre-Zamora, M.-A. and Campos-Enriquez, J.-O., 1991. La Primavera Caldera (Mexico); structure inferred from gravity and hydrogeological considerations. *Geophysics*, 56(7): 992-1002.
- Alatorre-Zamora, M.A., Campos-Enriquez, J.O., Campos Enriquez, J.O. and Urrutia-Fucugauchi, J., 1992. La Primavera Caldera (Mexico); structure inferred from gravity and hydrogeological considerations. *Geofisica Internacional*, 31(4): 371-382.
- Alatorre-Zamora, M.A., Campos-Enriquez, J.O., Moribayashi, S., Takahashi, I. and Anonymous, 1989. La Primavera Caldera (Mexico); structure and geothermal system inferred from gravity. *SEG Abstracts*, 59, Vol. 1: 541-544.
- Alberico, I., Lirer, L., Petrosino, P. and Scandone, R., 2002. A methodology for the evaluation of long-term volcanic risk from pyroclastic flows in Campi Flegrei (Italy). *Journal of Volcanology and Geothermal Research*, 116(1-2): 63-78.
- Alcorn, S.R., 1974. Petrogenesis of a Las Lajas Caldera lava and tectonic processes in Nicaragua. *Geofisica Internacional*, 14(1): 67-68.
- Allen, S.R., 2004. Complex spatter- and pumice-rich pyroclastic deposits from an andesitic caldera-forming eruption: the Siwi pyroclastic sequence, Tanna, Vanuatu. *Bulletin of Volcanology*, 67(1): 27-41.
- Almond, R.A., Aeromagnetic survey of the Rabaul Caldera.

- Alvarez, R. and Anonymous, 1983. 3-D modeling of aeromagnetic and gravimetric surveys over Los Humeros caldera geothermal field, Mexico. SEG Abstracts, 1983(1): 197-198.
- Alvarez, R. and Anonymous, 1984. 3-D modeling of aeromagnetic and gravimetric surveys over Los Humeros Caldera geothermal field, Mexico. *Geophysics*, 49(5): 617.
- Ammon, C.W., Zucca, J., Kasameyer, P.W. and Anonymous, 1987. Anomalous arrivals recorded in the Long Valley Caldera region, CA. *Eos, Transactions, American Geophysical Union*, 68(44): 1475.
- Ancochea, E., Cantagrel, J.M., Fuster, J.M., Huertas, M.J. and Arnaud, N.O., 1998. Vertical and lateral collapses on Tenerife (Canary Islands) and other volcanic ocean islands: Comment. *Geology*, 26(9): 861-862.
- Ancochea, E. et al., 1999. Evolution of the Canadas edifice and its implications for the origin of the Canadas Caldera (Tenerife, Canary Islands). *Journal of Volcanology and Geothermal Research*, 88: 177-199.
- Anderson, S.W., Krinsley, D.H. and Fink, J.H., 1994. Criteria for recognition of constructional silicic lava flow surfaces. *Earth Surface Processes and Landforms*, 19(6): 531-541.
- Ando, S., Kurozumi, T., Komatsu, R. and Anonymous, 1992. Structure and caldera-fill deposits of Nigorikawa Caldera. *International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes*, 29: 480.
- Anguita, F., Garcia Cacho, L., Colombo, F., Gonzalez Camacho, A. and Vieira, R., 1991. Roque Nublo Caldera; a new stratocone caldera in Gran Canaria, Canary Islands. *Journal of Volcanology and Geothermal Research*, 47(1-2): 45-63.
- Anzidei, M., 1998. The marine digital terrain model of the Panarea Caldera (Aeolian Islands, southern Italy). *Annali di Geofisica*, 41(2): 265-270.
- Aprea, C.M. et al., 2002. Three-dimensional Kirchhoff migration; imaging of the Jemez volcanic field using teleseismic data. *Journal of Geophysical Research, B, Solid Earth and Planets*, 107: no.10, 15.
- Arana, V. et al., 2000. Internal structure of Tenerife (Canary Islands) based on gravity, aeromagnetic and volcanological data. *Journal of Volcanology and Geothermal Research*, 103(1-4): 43-64.
- Armienti, P. et al., 1983. The phlegraean fields: Magma evolution within a shallow chamber. *Journal of Volcanology and Geothermal Research*, 17(1-4): 289-311.
- Aster, R.C. and Meyer, R.P., 1988a. Three-dimensional velocity structure and hypocenter distribution in the Campi Flegrei caldera, Italy. *Tectonophysics*, 149(3-4): 195-218.
- Aster, R.C. and Meyer, R.P., 1988b. Three dimensional velocity structure and hypocentre distribution in the Campi Flegrei caldera, Italy. *Tectonophysics*, 149: 195-218.
- Bacon, C.R., Bennett, B.S., Ho, P.Y.W. and Anonymous, 1984. Geologic panoramas of the walls of Crater Lake Caldera, Oregon, plotted on a computer-contoured topographic base. *Abstracts with Programs - Geological Society of America*, 16(6): 434.
- Bai, C.-y. and Greenhalgh, S., 2005. 3D multi-step travel time tomography: Imaging the local, deep velocity structure of Rabaul volcano, Papua New Guinea. *Physics of The Earth and Planetary Interiors*, 151(3-4): 259-275.

- Bailey, R.A., 1973. Post-Subsidence Volcanism And Structure Of Long Valley Caldera, California. Abstracts with Programs - Geological Society of America, 5(1): 7.
- Bailey, R.A., Dalrymple, G.B. and Lanphere, M.A., 1976a. Volcanism, structure, and geochronology of Long Valley caldera. *Journal of Geophysical Research*, 81: 725-744.
- Bailey, R.A., Dalrymple, G.B. and Lanphere, M.A., 1976b. Volcanism, structure, and geochronology of Long Valley Caldera, Mono County, California. *Journal of Geophysical Research*, 81(5): 725-744.
- Bailey, R.A., Lanphere, M.A. and Dalrymple, G.B., 1973. Volcanism and Geochronology of Long Valley Caldera, Mono County, California. *Eos, Transactions, American Geophysical Union*, 54(11): 1211.
- Bailey, R.A., Miller, C.D. and Sieh, K., 1989. Quaternary Volcanism of Long Valley Caldera and Mono-Inyo Craters, Eastern California. In: R.A. Bailey (Editor), 28th International Geological Congress. American Geophysical Union, pp. 1-36.
- Balassone, G. et al., 1999. The Water Content of Trachytic to Trachyphonolitic Glasses and Related Sanidine Phenocrysts from the Eruption of the Breccia Museo (Campi Flegrei, Italy): An IR Spectroscopy Study, EUG 10. Cambridge Publications, pp. 371.
- Barberi, F., Cassano, E., La Torre, P. and Sbrana, A., 1991a. Structural evolution of Campi Flegrei Caldera in light of volcanological and geophysical data. *Journal of Volcanology and Geothermal Research*, 48(1-2): 33-49.
- Barberi, F., Cassano, E., La Torre, P. and Sbrana, A., 1991b. Structural evolution of Phleorean Fields caldera in light of volcanological and geophysical data. *Journal of Volcanology and Geothermal Research*, 48: 33-49.
- Barton, M. and Huijsmans, J.P.P., 1986. Post-caldera dacites from the Santorini volcanic complex, Aegean Sea, Greece: an example of the eruption of lavas of near-constant composition over a 2,200 year period. *Contributions to Mineralogy and Petrology (Historical Archive)*, 94(4): 472-495.
- Battaglia, M., Roberts, C. and Segall, P., 1999. Magma intrusion beneath Long Valley caldera confirmed by temporal changes in gravity. *Science*, 285: 2119-2122.
- Battaglia, M., Roberts, C., Segall, P. and Anonymous, 2000a. Temporal gravity investigations at Long Valley Caldera, California. Abstracts with Programs - Geological Society of America, 32(7): 501.
- Battaglia, M., Roberts, C.W., Segall, P. and Anonymous, Temporal gravity investigations at Long Valley Caldera, California.
- Battaglia, M., Roberts, C.W., Segall, P. and Anonymous, 2000b. Magma intrusion beneath Long Valley Caldera, California, confirmed by temporal gravity changes. *Eos, Transactions, American Geophysical Union*, 81(48, Suppl.): 1322.
- Battaglia, M., Segall, P., Murray, J., Cervelli, P. and Langbein, J., 2003a. The mechanics of unrest at Long Valley caldera, California: 1. Modeling the geometry of the source using GPS, leveling and two-color EDM data. *Journal of Volcanology and Geothermal Research*, 127(3-4): 195-217.
- Battaglia, M., Segall, P. and Roberts, C., 2003b. The mechanics of unrest at Long Valley caldera, California. 2. Constraining the nature of the source using geodetic and micro-gravity data. *Journal of Volcanology and Geothermal Research*, 127(3-4): 219-245.

- Beauducel, F., de Natale, G., Obrizzo, F. and Pingue, F., 2004. 3-D Modelling of Campi Flegrei Ground Deformations: Role of Caldera Boundary Discontinuities. *Pure and Applied Geophysics*, 161: 1329-1344, doi: 10.1007/s00024-004-2507-4.
- Behrendt, J.C., Finn, C.A., Blankenship, D.D. and Bell, R.E., 1999. Aeromagnetic evidence for a volcanic caldera(?) complex beneath the divide of the West Antarctic ice sheet. *Pubblicazione - Istituto Nazionale di Geofisica*, 601: 39-40.
- Belousov, A., Walter, T.R. and Troll, V.R., 2005. Large-scale failures on domes and stratocones situated on caldera ring faults: sand-box modeling of natural examples from Kamchatka, Russia. *Bulletin of Volcanology*.
- Beresford, S.W. and Cole, J.W., 2000. Kaingaroa Ignimbrite, Taupo volcanic zone, New Zealand; evidence for asymmetric caldera subsidence of the Reporoa Caldera. *New Zealand Journal of Geology and Geophysics*, 43(3): 471-481.
- Berrino, G., 1994. Gravity changes induced by height-mass variations at the Campi Flegrei caldera. *Journal of Volcanology and Geothermal Research*, 61(3-4): 293-309.
- Berrino, G. and Gasparini, P., 1995. Ground deformation and unrest calderas. *Cahiers du Centre Europeen de Geodinamique et de Seismologie*, 8: 41-55.
- Berrino, G., Rymer, H., Brown, G.C. and Corrado, G., 1992. Gravity-height correlations for unrest at calderas. *Journal of Volcanology and Geothermal Research*, 53: 11-26.
- Berry, A.W., Jr., 1975. The Taum Sauk Caldera. Annual Fall Field Conference - Big Rivers Area Geological Society(2, A fieldguide to the Precambrian geology of the St. Francois Mountains, Missouri): 43-47.
- Bird, W.H., 1972. Mineral deposits of the southern portion of the Platoro Caldera Complex, southeast San Juan Mountains, Colorado. *The Mountain Geologist*, 9(4): 379-387.
- Black, R.A., Deemer, S.J. and Smithson, S.B., 1991. Seismic reflection studies in Long Valley Caldera, California. *Journal of Geophysical Research, B, Solid Earth and Planets*, 96(3): 4289-4300.
- Black, R.A., Smithson, S.B. and Anonymous, 1988. Interpretation of bright reflection events within Long Valley Caldera utilizing a new probabilistic migration algorithm. *Eos, Transactions, American Geophysical Union*, 69(44): 1327.
- Blackwell, D.D. and Anonymous, 1985. A transient model of the geothermal system of the Long Valley Caldera, California. *JGR. Journal of Geophysical Research. B*, 90(13): 11,229-11,241.
- Blake, S. and Ivey, G.N., 1986. Density and viscosity gradients in zoned magma chambers, and their influence withdrawal dynamics. *Journal of Volcanology and Geothermal Research*, 30(3-4): 201-230.
- Blanco, I., Garcia, A. and Torta, J.M., 1997. Magnetic study of the Furnas Caldera (Azores). *Annali di Geofisica*, 40(2): 341-359.
- Blank, H.R., Jr., Aramaki, S. and Ono, K., 1966. Aeromagnetic surveys of Kuttyaro and Aso Caldera regions, Japan. *Bulletin of Volcanology*, 29: 49-50.
- Blank, H.R., Jr. and Gettings, M.E., 1974. Geophysical Evidence of Caldera Structures in the Harney Basin of Central Eastern Oregon. *Eos, Transactions, American Geophysical Union*, 55(5): 557.
- Boden, D.R., 1986. Eruptive history and structural development of the Toquima caldera complex, central Nevada. *Geological Society of America Bulletin*, 97(1): 61-74.

- Boden, D.R., 1994. Mid-Tertiary magmatism of the Toquima caldera complex and vicinity, Nevada: development of explosive high-K, calc-alkaline magmas in the central Great Basin, USA. Contributions to Mineralogy and Petrology (Historical Archive), 116(3): 247-276.
- Bonafede, M. and Mazzanti, M., 1998. Modelling gravity variations consistent with ground deformation in the Campi Flegrei caldera (Italy). Journal of Volcanology and Geothermal Research, 81(1-2): 137-157.
- Bonvalot, S. et al., 1992. Geophysical survey of the Masaya Caldera (Nicaragua). Eos, Transactions, American Geophysical Union, 73(43, suppl.): 348.
- Branney, M.J., 1995. Downsag and extension at calderas: new perspectives on collapse geometries from ice-melt, mining, and volcanic subsidence. Bulletin of Volcanology (Historical Archive), 57(5): 303-318.
- Branney, M.J., Kokelaar, B.P. and McConnell, B.J., 1992. The Bad Step Tuff: a lava-like rheomorphic ignimbrite in a calc-alkaline piecemeal caldera, English Lake District. Bulletin of Volcanology (Historical Archive), 54(3): 187-199.
- Briggs, R.M. and Fulton, B.W.J., 1990. Volcanism, structure, and petrology of the Whiritoa-Whangamata coastal section, Coromandel volcanic zone, New Zealand; facies model evidence for the Tunaiti Caldera. New Zealand Journal of Geology and Geophysics, 33(4): 623-633.
- Brodsky, E.E., Sturtevant, B. and Kanamori, H., 1998. Earthquakes, volcanoes and rectified diffusion. Journal of Geophysical Research, 103(B10): 23827-23838.
- Brooks, W.E., Garcia, A. and Anonymous, 1999. The Carun circular structure; an intact Proterozoic caldera, Estado Bolivar, Venezuela. Abstracts with Programs - Geological Society of America, 31(7): 178.
- Brothers, R.N., 1957. The volcanic domes at Mayor island, New Zealand. Transactions of the Royal Society of New Zealand, 84(Part 3): 549-560.
- Brown, G.C., Everett, S.P., Rymer, H., McGarvie, D.W. and Foster, I., 1991. New light on caldera evolution; Askja, Iceland. Geology (Boulder), 19(4): 352-355.
- Brown, R.J., Barry, T.L., Branney, M.J., Pringle, M.S. and Bryan, S.E., 2003. The Quaternary pyroclastic succession of southeast Tenerife, Canary Islands: explosive eruptions, related caldera subsidence, and sector collapse. Geological Magazine, 140(3): 265-288.
- Brown, R.J. and Branney, M.J., 2004. Event-stratigraphy of a caldera-forming ignimbrite eruption on Tenerife: the 273 A° ka Poris Formation. Bulletin of Volcanology, 66(5): 392-416.
- Bruce, A.I. and Keller, G.R., 1993. Upper crustal structure of the Valles Caldera; an interpretation of the gravity anomaly field in the Jemez Mountain volcanic field. Eos, Transactions, American Geophysical Union, 74(43, Suppl.): 549.
- Bruno, P., 2004. Structure and evolution of the Bay of Pozzuoli (Italy) using marine seismic reflection data: implications for collapse of the Campi Flegrei caldera. Bulletin of Volcanology, 66(4): 342-355.
- Buettner, A., Kleinhanss, I.C., Rufer, D., Hunziker, J.C. and Villa, I.M., 2005. Magma generation at the easternmost section of the Hellenic arc: Hf, Nd, Pb and Sr isotope geochemistry of Nisyros and Yali volcanoes (Greece). Lithos, 83(1-2): 29-46.
- Busby, C., 2005. Possible distinguishing characteristics of very deepwater explosive and effusive silicic volcanism. Geology, 33(11): 845-848.
- Byers, F.M., Jr., Orkild, P.P., Carr, W.J. and Christiansen, R.L., Timber Mountain Caldera, Nevada Test Site and vicinity; a preliminary report.

- Caldwell, T.G., Davy, B.W. and Anonymous, Geophysical data from Lake Taupo and implications for caldera evolution.
- Caliro, S. et al., 2005. Recent activity of Nisyros volcano (Greece) inferred from structural, geochemical and seismological data. *Bulletin of Volcanology*, 67(4): 358-369.
- Camacho, A.G., Vieira, R. and Del Toro, C., 1991. Microgravimetric model of the Las Canadas caldera (Tenerife). *Journal of Volcanology and Geothermal Research*, 47: 75-88.
- Campos-Enriquez, J.O. and Arredondo-Fragoso, J.J., 1992. Gravity study of Los Humeros caldera complex, Mexico; structure and associated geothermal system. *Journal of Volcanology and Geothermal Research*, 49(1-2): 69-90.
- Campos-Enriquez, J.O., Dominguez-Mendez, F., Lozada-Zumaeta, M., Morales-Rodriguez, H.F. and Andaverde-Arredondo, J.A., Application of the Gauss theorem to the study of silicic calderas: The calderas of La Primavera, Los Azufres, and Los Humeros (Mexico). *Journal of Volcanology and Geothermal Research*, In Press, Corrected Proof.
- Campos-Enriquez, J.O. and Garduno-Monroy, V.H., 1995. Los Azufres silicic center (Mexico); inference of caldera structural elements from gravity, aeromagnetic, and geoelectric data. *Journal of Volcanology and Geothermal Research*, 67(1-3): 123-152.
- Cantagrel, J.-M., Arnaud, N.O., Ancochea, E., Fuster, J.M. and Huertas, M.J., 1999a. Repeated debris avalanches on Tenerife and genesis of Las Canadas caldera wall (Canary Islands). *Geology*, 27(8): 739-742.
- Cantagrel, J.M., Arnaud, N.O., Ancochea, E., Fuster, J.M. and Huertas, M., 1999b. Repeated debris avalanches on Tenerife and genesis of Las Canadas caldera wall (Canary Islands). *Geology*, 27: 739-742.
- Capaldi, G., Pece, R. and Veltri, C., 1992. Radon variation in groundwaters in the Campi Flegrei Caldera (southern Italy) during and after the 1982-1984 bradyseismic crisis. *Pure and Applied Geophysics (Historical Archive)*, 138(1): 77-93.
- Capra, L., Macias, J.L. and Garduno, V.H., 1997. The Zitacuaro volcanic complex, Michoacan, Mexico; magmatic and eruptive history of a resurgent caldera. *Geofisica Internacional*, 36(3): 161-179.
- Carle, S.F., 1988. Three-dimensional gravity modeling of the geologic structure of Long Valley Caldera. *Journal of Geophysical Research, B, Solid Earth and Planets*, 93(11): 13,237-13,250.
- Carle, S.F. and Goldstein, N.E., A three-dimensional structural model for the Long Valley Caldera, California.
- Carle, S.F., Goldstein, N.E. and Anonymous, 1986. A three-dimensional gravity model of the geologic structure of Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 67(44): 1249.
- Carle, S.F., Goldstein, N.E. and Anonymous, 1987a. A structural model of the Long Valley Caldera based on a 3-D gravity interpretation. *Eos, Transactions, American Geophysical Union*, 68(44): 1543-1544.
- Carle, S.F., Goldstein, N.E. and Elliot, L.T., 1987b. Gravity and fault structures Long Valley Caldera, California. *Transactions - Geothermal Resources Council*, 11: 327-332.
- Carniel, R., Di Cecca, M. and Rouland, D., 2003. Ambrym, Vanuatu (July?August 2000): spectral and dynamical transitions on the hours-to-days timescale *Journal of Volcanology and Geothermal Research*, 128: 1-13.

- Carr, W.J., ? Structure of part of the Timber Mountain dome and caldera, Nye County, Nevada.
- Carracedo, J.-C., Day, S.J., Guillou, H. and Gravestock, P., 1999. Later stages of volcanic evolution of La Palma, Canary Islands; rift evolution, giant landslides, and the genesis of the Caldera de Taburiente. *Geological Society of America Bulletin*, 111(5): 755-768.
- Carrillo, P., Cruz-Pizarro, L. and Morales-Baquero, R., 1989. Empirical evidence for a complex diurnal movement in Hexarthra bulgarica from an oligotrophic high mountain lake (La Caldera, Spain). *Hydrobiologia (Historical Archive)*, 186(1): 103-108.
- Castagnolo, D. et al., 2001. Campi Flegrei unrest episodes and possible evolution towards critical phenomena. *Journal of Volcanology and Geothermal Research*, 109(1-3): 13-40.
- Cepeda, J.C., The Chinati Mountains Caldera, Presidio County, Texas.
- Chabiron, A., Cuney, M. and Poty, B., 2003. Possible uranium sources for the largest uranium district associated with volcanism: the Streletsovka caldera (Transbaikalia, Russia). *Mineralium Deposita*, 38(2): 127-140.
- Chadwick, J., William W., Nooner, S.L., Zumberge, M.A., Embley, R.W. and Fox, C.G., 2006. Vertical deformation monitoring at Axial Seamount since its 1998 eruption using deep-sea pressure sensors. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 313-327.
- Chadwick, W.W., Roy, T. and Carrasco, A., 1991. The September 1988 intracaldera avalanche and eruption at Fernandina volcano, Galapagos Islands. *Bulletin of Volcanology (Historical Archive)*, 53(4): 276-286.
- Chamberlin, R.M., 2001. Waning-stage eruptions of the Oligocene Socorro Caldera, central New Mexico. *Bulletin - New Mexico Museum of Natural History and Science*, 18: 69-77.
- Charco, M. et al., 2004. Study of Volcanic Sources at Long Valley Caldera, California, Using Gravity Data and a Genetic Algorithm Inversion Technique. *Pure and Applied Geophysics*, 161(7): 1399-1413.
- Chavez, D.E. and Priestley, K.F., 1984. Inferences on the crust and upper mantle structure of the Hot Creek Valley, Nevada Caldera complex from teleseismic P-wave observations. *Eos, Transactions, American Geophysical Union*, 65(45): 1084.
- Chenevey, M.J., Spatz, D.M. and Rogers, R.H., 1991. Comparison of Landsat TM and TIMS imagery for differentiating lithologies at the Kane Springs Wash Caldera, Lincoln County, Nevada. *Proceedings of the Thematic Conference on Geologic Remote Sensing*, 8: 687-699.
- Chertkoff, D. and Gardner, J., 2004. Nature and timing of magma interactions before, during, and after the caldera-forming eruption of VolcÃ¡n Ceboruco, Mexico. *Contributions to Mineralogy and Petrology*, 146(6): 715-735.
- Chesner, C.A. and Rose, W.I., 1991. Stratigraphy of the Toba Tuffs and the evolution of the Toba Caldera Complex, Sumatra, Indonesia. *Bulletin of Volcanology (Historical Archive)*, 53(5): 343-356.
- Christiansen, L.B., Hurwitz, S., Saar, M.O., Ingebritsen, S.E. and Hsieh, P.A., 2005. Seasonal seismicity at western United States volcanic centers. *Earth and Planetary Science Letters*, 240(2): 307-321.
- Christiansen, R.L., Cooling units and composite sheets in relation to caldera structure.

- Christiansen, R.L., 1976. Cooling units and composite sheets in relation to caldera structure. Abstracts with Programs - Geological Society of America, 8(5, Rocky Mountain Section 29th annual meeting): 575-576.
- Christiansen, R.L., Lipman, P.W., Orkild, P.P. and Byers, F.M., Jr., Structure of the Timber Mountain Caldera, southern Nevada, and its relation to Basin-Range structure.
- Chun, J.-H., Cheong, D.K., Park, C.H., Huh, S. and Han, S.-J., 2002. Geomorphology and volcaniclastic deposits around Dokdo; Dokdo Caldera. Ocean and Polar Research, 24(4): 483-490.
- Cioni, R., Santacroce, R. and Sbrana, A., 1999. Pyroclastic deposits as a guide for reconstructing the multi-stage evolution of the Somma-Vesuvius Caldera. Bulletin of Volcanology, 61(4): 207-222.
- Clawson, S.R., Smith, R.B. and Benz, H.M., 1989. P wave attenuation of the Yellowstone Caldera from three-dimensional inversion of spectral decay using explosion source seismic data. Journal of Geophysical Research, B, Solid Earth and Planets, 94(6): 7205-7222.
- Cole, J.W., Milner, D.M. and Spinks, K.D., 2005. Calderas and caldera structures: a review. Earth-Science Reviews, 69(1-2): 1-26.
- Cole, P.D., Guest, J.E., Duncan, A.M., Chester, D.K. and Bianchi, R., 1992. Post-collapse volcanic history of calderas on a composite volcano: an example from Roccamonfina, southern Italy. Bulletin of Volcanology (Historical Archive), 54(4): 253-266.
- Coles, D. et al., 2004. Spatial decision analysis of geothermal resource sites in the Qualibou Caldera, Saint Lucia, Lesser Antilles. Geothermics, 33(3): 277-308.
- Connor, C.B. and Williams, S.N., 1990. Interpretation of gravity anomalies, Masaya Caldera Complex, Nicaragua. Transactions of the Caribbean Geological Conference = Memorias - Conferencia Geologica del Caribe, 12: 495-502.
- Cordell, L., Long, C.L., Jones, D.W. and Anonymous, 1985. Geophysical expression of the batholith beneath Questa Caldera, New Mexico. JGR. Journal of Geophysical Research. B, 90(13): 11,263-11,269.
- Crecraft, H., Nordquist, G., Smith, B.M., Varga, R.J. and Anonymous, 1988. Evidence for geothermal upflow within the eastern half of the Valles Caldera, northern New Mexico. Eos, Transactions, American Geophysical Union, 69(44): 1481.
- Crumpler, L.S. and Anonymous, 1996. Calderas and caldera structure on Earth, Venus, Mars, and Io. Abstracts with Programs - Geological Society of America, 28(7): 72.
- Cruz-Pizarro, L., 1983. Reproductive activity of *Mixodiaptomus laciniatus* (Copepoda, Calanoida) in a high mountain lake (La Caldera, Granada, Spain). Hydrobiologia (Historical Archive), 107(2): 97-105.
- Cruz-Pizarro, L., Conde-Porcuna, J.M. and Carrillo, P., 1998. Diel variation in the egg ratio of *Hexarthra bulgarica* in the high mountain lake La Caldera (Spain). Hydrobiologia, 387(0): 295-300.
- Cubellis, E. et al., 1993. Phlegraean Fields and Vesuvius; ground deformation (Phlegraean Fields); levelling and gravimetric survey in the Phlegraean Fields Caldera; Monterusciello-Pozzuoli-Napoli profile. Acta Vulcanologica, 3: 307-308.
- Cunningham, C.G., Arribas, A., Rytuba, J.J. and Arribas, A., 1990. Mineralized and unmineralized calderas in Spain; Part I, evolution of the Los Frailes Caldera. Mineralium Deposita (Historical Archive), 25(1): S21-S28.

- Cunningham, C.G. et al., 1989. The origin of United States-Spain gold/alunite deposits; caldera-related, epithermal gold/alunite deposits at Rodalquilar, Spain. International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes, 28, vol. 1: 351.
- D'Antonio, M. et al., 1999. The present state of the magmatic system of the Campi Flegrei caldera based on a reconstruction of its behavior in the past 12 ka. *Journal of Volcanology and Geothermal Research*, 91(2-4): 247-268.
- Daniel, R.G. and Boore, D.M., 1982. Anomalous shear wave delays and surface wave velocities at Yellowstone Caldera, Wyoming. *JGR. Journal of Geophysical Research. B*, 87(4): 2731-2744.
- Davis, J.B., Clark, K.F., Randall, J.R. and Anonymous, 2003. The Guanajuato mining district caldera, Mexico. Abstracts with Programs - Geological Society of America, 35(6): 401.
- Davy, B., 1992. Seismic reflection profiles of the Horomatangi Caldera, Lake Taupo. *Geological Society of New Zealand Miscellaneous Publication*, 63A: 57.
- Davy, B., 1993. Seismic reflection profiling of the Taupo Caldera, New Zealand. *Exploration Geophysics*, 24(3-4): 443-454.
- Davy, B. and Anonymous, 1996. Caldera structure within Lake Taupo, North Island, New Zealand. *Eos, Transactions, American Geophysical Union*, 77(46, Suppl.): 793.
- Davy, B.W. and Caldwell, T.G., 1998. Gravity, magnetic and seismic surveys of the caldera complex, Lake Taupo, North Island, New Zealand. *Journal of Volcanology and Geothermal Research*, 81(1-2): 69-89.
- Dawson, P.B., Chouet, B.A., Okubo, P.G., Villasenor, A. and Benz, H.M., 1999. Three-dimensional velocity structure of the Kilauea Caldera, Hawaii. *Geophysical Research Letters*, 26(18): 2805-2808.
- Dawson, P.B., Evans, J.R., Iyer, H.M. and Achauer, U., 1988. Velocity structure of the crust and upper mantle beneath the Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 69(44): 1472.
- De Astis, G., Pappalardo, L. and Piochi, M., 2004. Procida volcanic history: new insights into the evolution of the Phlegraean Volcanic District (Campania region, Italy). *Bulletin of Volcanology*, 66(7): 622-641.
- de Jong, S.M., 1998. Imaging spectrometry for monitoring tree damage caused by volcanic activity in the Long Valley Caldera, California. *ITC Journal = Bulletin de l'ITC*, 1998(1): 1-10.
- De Lorenzo, S., Gasparini, P., Mongelli, F. and Zollo, A., 2001a. Thermal state of the Campi Flegrei Caldera inferred from seismic attenuation tomography. *Journal of Geodynamics*, 32(4-5): 467-486.
- De Lorenzo, S., Zollo, A. and Mongelli, F., 2001b. Source parameters and three-dimensional attenuation structure from the inversion of microearthquake pulse width data; Qp imaging and inferences of the thermal state of the Campi Flegrei Caldera (southern Italy). *Journal of Geophysical Research, B, Solid Earth and Planets*, 106(8): 16,265-16,286.
- De Natale, G., Petrazzuoli, S.M. and Pingue, F., 1997. The effect of collapse structures on ground deformation in calderas. *Geophysical Research Letters*, 24: 1555-1558.
- De Natale, G. and Pingue, F., 1993. Ground Deformations in Collapsed Caldera Structures. *Journal of Volcanology and Geothermal Research*, 57: 19-38.
- De Natale, G., Pingue, F., Allard, P. and Zollo, A., 1991a. Geophysical and geochemical modelling of the 1982-1984 unrest phenomena at Campi Flegrei

- Caldera (southern Italy). *Journal of Volcanology and Geothermal Research*, 48(1-2): 199-222.
- De Natale, G., Pingue, F., Allarde, P. and Zollo, A., 1991b. Geophysical and geochemical modelling of the 1982-1984 unrest phenomena at Campi Flegrei caldera (Southern Italy). *Journal of Volcanology and Geothermal Research*, 48: 199-222.
- De Natale, G., Troise, C. and Pingue, F., 2001. A mechanical fluid-dynamical model for ground movements at Campi Flegrei Caldera. *Journal of Geodynamics*, 32(4-5): 487-517.
- De Rita, D., Funiciello, R., Rossi, U. and Sposato, A., 1983. Structure and evolution of the Sacrofano-Baccano Caldera, Sabatini volcanic complex, Rome. *Journal of Volcanology and Geothermal Research*, 17(1-4): 219-236.
- de Vita, S. et al., 1999. The Agnano-Monte Spina eruption (4100 years BP) in the restless Campi Flegrei caldera (Italy). *Journal of Volcanology and Geothermal Research*, 91: 269-301.
- de Zeeuw-van Dalsen, E., Rymer, H., Sigmundsson, F. and Sturkell, E., 2005. Net gravity decrease at Askja volcano, Iceland: constraints on processes responsible for continuous caldera deflation, 1988-2003. *Journal of Volcanology and Geothermal Research*, 139(3-4): 227-239.
- Deemer, S. et al., 1984. Seismic reflection profiling through the Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 65(45): 985.
- Deemer, S. et al., 1985. Structure of the Long Valley Caldera interpreted from seismic reflection data. *Eos, Transactions, American Geophysical Union*, 66(18): 301-302.
- Del Pin, E., Carniel, R. and Tárraga, M., 2006. Event recognition by detrended fluctuation analysis: An application to Teide-Pico Viejo volcanic complex, Tenerife, Spain. *Chaos, Solitons & Fractals*, In Press, Corrected Proof, Available online 26 September 2006.
- Denholm, L.S., 1966. Structural and economic aspect of the Vatukoula Caldera, Fiji. *Bulletin of Volcanology*, 29: 223-233.
- Denlinger, R.P., Riley, F.S.S. and Anonymous, 1984. Deformation of Long Valley Caldera, Mono County, California, from 1975 to 1982. *JGR. Journal of Geophysical Research. B*, 89(10): 8303-8314.
- Dey, T.N., Kranz, R.L. and Holcomb, D.J., 1984. Stress measurements from Valles Caldera corehole No. 1. *Eos, Transactions, American Geophysical Union*, 65(45): 1119.
- Di Maio, R. et al., 2000. Application of electric and electromagnetic methods to the definition of the Campi Flegrei Caldera (Italy). *Annali di Geofisica*, 43(2): 375-390.
- Di Vito, M.A. et al., 1999. Volcanism and deformation since 12,000 years at the Campi Flegrei caldera (Italy). *Journal of Volcanology and Geothermal Research*, 91: 221-246.
- Diment, W.H., Urban, T.C. and Anonymous, 1990. Significance of precision temperature and natural gamma-ray logs for the MLGRAP boreholes, Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 71(43): 1692.
- Diment, W.H., Urban, T.C., Nathenson, M. and Berge, C.W., 1980. Notes on the shallow thermal regime of the Long Valley Caldera, Mono County, California. *Transactions - Geothermal Resources Council*, 4: 37-40.

- Dmochowski, J.E., Stock, J.M., Hook, S.J., Hausback, B.P. and Anonymous, 2003. Revised mapping of the La Reforma Caldera based on remote sensing with master airborne multi-spectral data. Abstracts with Programs - Geological Society of America, 35(4): 29.
- Dodge, F.C.W. and Millard, H.T., Jr., 1978. The Uyajah ring structure; the plutonic roots of a Precambrian epicontinental caldera. Precambrian Research, 6(1): A14.
- Doherty, D.J. and Nash, K.G., 1977. Remote sensing identification of caldera related geologic features in the eastern Snake River plain. Abstracts with Programs - Geological Society of America, 9(6): 719-720.
- Druitt, T. and Francaviglia, V., 1992. Caldera formation on Santorini and the physiography of the islands in the late Bronze Age. Bulletin of Volcanology (Historical Archive), 54(6): 484-493.
- Du Bray, E.A., Pallister, J.S., Snee, L.W. and Anonymous, Age, structural history, and chemical evolution of the Turkey Creek Caldera, Southeast Arizona.
- Duex, T.W., Kinsland, G.L. and Tucker, D.R., 1994. The Sierra Quemada Caldera; a major event in the geologic history of Big Bend National Park, Texas. Publication - West Texas Geological Society, 94-95: 213-219.
- Duncan, A.M. et al., 1999. The Povoacao Ignimbrite, Furnas Volcano, Sao Miguel, Azores. Journal of Volcanology and Geothermal Research, 92(1-2): 55-65.
- Dvorak, J.J. and Gasparini, P., 1991. History of earthquakes and vertical ground movement in Campi Flegrei caldera, Southern Italy; comparison of precursory events to the A. D. 1538 eruption of Monte Nuovo and of activity since 1968. Journal of Volcanology and Geothermal Research, 48: 77-92.
- Dzurisin, D., Jr., C.W. and Thatcher, W., 1999a. Renewed uplift at the Yellowstone Caldera measured by leveling surveys and satellite radar interferometry. Bulletin of Volcanology, 61(6): 349-355.
- Dzurisin, D., Savage, J.C. and Fournier, R.O., 1990. Recent crustal subsidence at Yellowstone Caldera, Wyoming. Bulletin of Volcanology (Historical Archive), 52(4): 247-270.
- Dzurisin, D., Wicks, J.C. and Thatcher, W., 1999b. Renewed uplift at the Yellowstone Caldera measured by levelling surveys and satellite radar interferometry. Bulletin of Volcanology, 61(6): 349-355.
- Dzurisin, D. and Yamashita, K.M., 1985. Uplift and strain rates at Yellowstone Caldera, Wyoming. Eos, Transactions, American Geophysical Union, 66(46): 853.
- Dzurisin, D., Yamashita, K.M. and Kleinman, J.W., 1980. Mechanisms of crustal uplift and subsidence at the Yellowstone caldera, Wyoming. Bulletin of Volcanology, 56: 261-270.
- Dzurisin, D., Yamashita, K.M. and Kleinman, J.W., 1994. Mechanisms of crustal uplift and subsidence at the Yellowstone caldera, Wyoming. Bulletin of Volcanology (Historical Archive), 56(4): 261-270.
- Eatson, G.P., Steven, T.A. and Ratte, J.C., 1972. Comparative geophysical expression of ash flow-related calderas, southwestern United States. Abstracts with Programs - Geological Society of America, 4(7): 496.
- Eberl, D.D., Srodon, J., Lee, M., Nadeau, P.H. and Northrop, H.R., 1987. Sericite from the Silverton Caldera, Colorado; correlation among structure, composition, origin, and particle thickness. American Mineralogist, 72(9-10): 914-934.

- Eichelberger, J.C. et al., 1999. Dike-triggered eruption of stored andesitic magma; contrasting cases from Karymsky Volcano/Academy Caldera, Kamchatka and Mount Katmai/Novarupta Volcano, Alaska. *Eos, Transactions, American Geophysical Union*, 80(46, Suppl.): 1110.
- Eichelberger, J.C., Lysne, P.C. and Younker, L.W., 1984. Continental scientific drilling at Inyo Domes, Long Valley Caldera, CA. *Eos, Transactions, American Geophysical Union*, 65(45): 1096.
- Eichelberger, J.C. et al., 1988. Structure and stratigraphy beneath a young phreatic vent; South Inyo Crater, Long Valley Caldera, California. *Journal of Geophysical Research, B, Solid Earth and Planets*, 93(11): 13,208-13,220.
- Ekren, E.B., Quinlivan, W.D., Snyder, R.P. and Kleinhapl, F.J., 1974. Stratigraphy, structure, and geologic history of the Lunar Lake Caldera of northern Nye County, Nevada. *Journal of Research of the U. S. Geological Survey*, 2(5): 599-608.
- Elbring, G.J. and Rundle, J.B., 1986. Analysis of borehole seismograms from Long Valley, California; implications for caldera structure. *Journal of Geophysical Research, B, Solid Earth and Planets*, 91(12): 12,651-12,660.
- Elston, W.E., 1994. Siliceous Volcanic Centers as Guides to Mineral Exploration: Review and Summary. *Economic Geology & the Bulletin of the Society of Economic Geologists*, 89(8): 1662-1686.
- Emeleus, T.G., 1975. Magnetics of the Rabaul Caldera. *Bulletin - Australian Society of Exploration Geophysicists*, 6(2-3, First Southwest Pacific workshop-symposium): 77.
- Emeleus, T.G., 1977. Thermo-magnetic measurements as a possible tool in the prediction of volcanic activity in the volcanoes of the Rabaul Caldera, Papua New Guinea. *Journal of Volcanology and Geothermal Research*, 2(4): 343-359.
- Estrem, J.E., Lisowski, M. and Savage, J.C., 1984. Deformation of Long Valley Caldera, eastern California, measured in 1983-1984. *Eos, Transactions, American Geophysical Union*, 65(45): 1116-1117.
- Ewart, J.A., Voight, B. and Bjornsson, A., 1991. Elastic deformation models of Krafla Volcano, Iceland, for the decade 1975 through 1985. *Bulletin of Volcanology*, 53(6): 436-459.
- Eyal, M. and Peltz, S., 1994. The structure of the Ramat Yotam Caldera, southern Israel; a deeply eroded late Precambrian ash-flow caldera. *Israel Journal of Earth-Sciences*, 43(2): 81-90.
- Farrar, C.D. et al., 1995. Forest-killing diffuse CO₂ emission at Mammoth Mountain as a sign of magmatic unrest. *Nature*, 376: 675-678.
- Felch, R.N., Harthill, N. and Spence, W., 1989. Anomalous seismic crustal structure in the Jemez Mountains, northwest of the Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 70(12): 186.
- Felch, R.N. and Olsen, K.H., 1981. Preliminary investigation of crustal structure beneath the Valles Caldera, north-central New Mexico. *Eos, Transactions, American Geophysical Union*, 62(45): 1039.
- Ferguson, C.A. et al., 2003. Correlation of Mesozoic calderas and implications for Cenozoic extension, southern Arizona. *Abstracts with Programs - Geological Society of America*, 35(6): 348.
- Ferguson, J.F., Cogbill, A.H. and Warren, R.G., 1994. A geophysical-geological transect of the Silent Canyon caldera complex, Pahute Mesa, Nevada. *Journal of Geophysical Research, B, Solid Earth and Planets*, 99(3): 4323-4339.

- Ferguson, J.F., Cogbill, A.H., Warren, R.G., Heidesch, R.J. and Anonymous, 1988. A new interpretation for the shallow structure of Silent Canyon Caldera, Pahute Mesa, Nevada. *Eos, Transactions, American Geophysical Union*, 69(44): 1333.
- Fernandez, J., Charco, M., Tiampo, K.F., Jentzsch, G. and Rundle, J.B., 2001a. Joint interpretation of displacement and gravity data in volcanic areas. A test example: Long Valley Caldera, California. *Geophysical Research Letters*, 28(6): 1063-1066.
- Fernandez, J., Charco, M., Tiampo, K.F., Jentzsch, G. and Rundle, J.B., 2001b. Joint interpretation of displacement and gravity data in volcanic areas; a text example; Long Valley Caldera, California. *Geophysical Research Letters*, 28(6): 1063-1066.
- Fernandez, J. et al., 2005. Detection of displacements on Tenerife Island, Canaries, using radar interferometry. *Geophysical Journal International*, 160(1): 33-45.
- Ferrari, L., Garduno, V.H., Pasquare, G. and Tibaldi, A., 1991. Geology of Los Azufres Caldera, Mexico, and its relationships with regional tectonics. *Journal of Volcanology and Geothermal Research*, 47(1-2): 129-148.
- Ferrini, G. and Marabini, S., 1984. Risedimentazione di prodotti vulcanici; l'esempio del "piano" di Bugeber (Caldera interna di Pantelleria) Translated Title: Resedimentation of volcanic products; example of the Bugeber "Plain"; Pantelleria internal caldera. *Giornale di Geologia*, 46(2): 79-94.
- Ferrucci, F., Hirn, A., Virieux, J., de Natale, G. and Mirabile, L., 1992. P-SV Conversions at a Shallow Boundary beneath Campi Flegrei Caldera (Naples, Italy): Evidence for the Magma Chamber. *Journal of Geophysical Research*, 97(B11): 15,351–15,359.
- Finlayson, D.M., Gudmundsson, O., Itikarai, I., Nishimura, Y. and Shimamura, H., 2003. Rabaul Volcano, Papua New Guinea; seismic tomographic imaging of an active caldera. *Journal of Volcanology and Geothermal Research*, 124(3-4): 153-171.
- Finlayson, D.M. et al., 1999. Wide-angle seismic profiling across the Rabaul Volcano; a framework for tomographic imaging of caldera architecture. *International Union of Geodesy and Geophysics General Assembly = Union Geodesique et Geophysique Internationale Comptes Rendus de la ...Assemblee Generale*, 99, WEEK B: 152.
- Fiske, R.S., Naka, J., Iizasa, K., Yuasa, M. and Klaus, A., 2001. Submarine silicic caldera at the front of the Izu-Bonin Arc, Japan; voluminous seafloor eruptions of rhyolite pumice. *Geological Society of America Bulletin*, 113(7): 813-824.
- Folch, A. and Gottsmann, J., 2005a. Volcanic unrest: Faults and uplift at active calderas. In: G. De Natale, C. Troise and C.R.J. Kilburn (Editors), *Mechanisms of Activity and Unrest at Large Calderas*. Geological Society of London, London, pp. 109-120.
- Folch, A. and Gottsmann, J., 2005b. Volcanic unrest: Faults and uplift at active calderas, EGU 2005. *Geophysical Research Abstracts*, Vienna, pp. EGU05-A-04102.
- Folch, A., Gottsmann, J. and Marti, J., 2004. Numerical modelling of the influence of ring faults and anelasticity on the deformation at restless calderas: The case of the 1982-84 uplift at the Campi Flegrei, IAVCEI General Assembly, Pucon, Chile, pp. s04_pm_143.

- Folch, A. and Martí, J., 2004. Geometrical and mechanical constraints on the formation of ring-fault calderas. *Earth and Planetary Science Letters*, 221: 215-225.
- Fornari, D.J. et al., 1994. Temporal variations in the morphology and structure of the axial summit caldera and young volcanic flows, and relationship to hydrothermal venting on the East Pacific Rise crest 9 degrees 30'-51'N. *Eos, Transactions, American Geophysical Union*, 75(44, Suppl.): 618.
- Foulger, G.R. et al., 1999. Three-dimensional seismic structure of Long Valley Caldera, eastern California. *Eos, Transactions, American Geophysical Union*, 80(46, Suppl.): 665.
- Foulger, G.R. et al., 2003. Three-dimensional crustal structure of Long Valley Caldera, California, and evidence for the migration of CO (sub 2) under Mammoth Mountain. *Journal of Geophysical Research, B, Solid Earth and Planets*, 108: no.3, 16.
- Foulger, G.R. et al., 2000. Tomographic evidence for migration of volcanic gas beneath Mammoth Mountain, Long Valley Caldera, California, between 1989 and 1997. *Eos, Transactions, American Geophysical Union*, 81(48, Suppl.): 1323.
- Foulger, G.R., Pitt, A.M., Julian, B.R., Hill, D.P. and Anonymous, 1995. Three-dimensional structure of Mammoth Mtn., Long Valley Caldera, from seismic tomography. *Eos, Transactions, American Geophysical Union*, 76(46, Suppl.): 351.
- Francalanci, L. et al., 1995. Crystal retention, fractionation and crustal assimilation in a convecting magma chamber, Nisyros Volcano, Greece. *Bulletin of Volcanology*, 56: 601 - 620.
- Freundt, A. and Schmincke, H.-U., 1995. Eruption and emplacement of a basaltic welded ignimbrite during caldera formation on Gran Canaria. *Bulletin of Volcanology*, 56(8): 640-659.
- Fridrich, C.J., Smith, R.P., DeWitt, E. and Anonymous, 1990. 3-D structure of the deeply dissected Grizzly Peak Caldera, Colorado; a bridge between calderas and ring complexes. *Eos, Transactions, American Geophysical Union*, 71(43): 1676.
- Furuya, M. et al., 2003. Spatio-Temporal Gravity Changes at Miyakejima Volcano, Japan: Caldera Collapse, Explosive Eruptions and Magma Movement. *Journal of Geophysical Research*, 108(2219): doi: 10.1029/2002JB001989.
- Galindo, I., Soriano, C., Martí, J. and Perez, N., 2005. Graben structure in the Las Canadas edifice (Tenerife, Canary Islands): implications for active degassing and insights on the caldera formation. *Journal of Volcanology and Geothermal Research*, 144(1-4): 73-87.
- Gardner, J.E. and Tait, S., 2000. The caldera-forming eruption of VolcÁn Ceboruco, Mexico. *Bulletin of Volcanology*, 62(1): 20-33.
- Geissman, J.W. and Anonymous, 1987. Thermoviscous/thermochemical partial remagnetization of late Paleozoic strata, VC-1 corehole, Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 68(44): 1250.
- Geist, D., Chadwick, W. and Johnson, D., 2005. Results from new GPS and gravity monitoring networks at Fernandina and Sierra Negra Volcanoes, Galápagos, 2000-2002. *Journal of Volcanology and Geothermal Research*, In Press, Corrected Proof.

- Geist, D., Chadwick, W. and Johnson, D., 2006. Results from new GPS and gravity monitoring networks at Fernandina and Sierra Negra Volcanoes, Galapagos, 2000-2002. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 79-97.
- Germanovich, L.N. and Lowell, R.P., 1995. The mechanism of phreatic eruptions. *Journal of Geophysical Research-Solid Earth*, 100(B5): 8417-8434.
- Geshi, N., Shimano, T., Chiba, T. and Nakada, S., 2002a. Caldera collapse during the 2000 eruption of Miyakejima Volcano, Japan. *Bulletin of Volcanology*, 64: 55-68.
- Geshi, N., Shimano, T., Chiba, T. and Nakada, S., 2002b. Caldera collapse during the 2000 eruption of Miyakejima Volcano, Japan. *Bulletin of Volcanology*, 64(1): 55-68.
- Ghergari, L., Strusievic, R.O. and Dumitrescu, S., 1994. Minamiite in the hydrothermal alteration zone of the Fancel-Lapusna Caldera (Gurghiu Mts., East Carpathians); first record in Romania. *Studia Universitatis Babes-Bolyai. Geologia*, 39(1-2): 93-103.
- Giannetti, B., 2001. Origin of the calderas and evolution of Roccamontfina Volcano (Roman region, Italy). *Journal of Volcanology and Geothermal Research*, 106(3-4): 301-319.
- Gilbert, J.S. et al., 1996. Non-explosive, constructional evolution of the ice-filled caldera at Volcán Sollipulli, Chile. *Bulletin of Volcanology*, 58(1): 67-83.
- Goff, F., 1983. Subsurface structure of Valles Caldera; a resurgent cauldron in northern New Mexico. *Abstracts with Programs - Geological Society of America*, 15(5): 381.
- Goff, F., 1985. In New Mexico; Valles Caldera well cored to 2,809 ft. *Geotimes*, 30(2): 13-14.
- Goff, F. et al., 1990. The "art" of in situ fluid sampling and the remarkable compositional variations in the wellbore fluid of VC-2B, Valles Caldera, New Mexico. *Transactions - Geothermal Resources Council*, 14(1-2): 403-410.
- Goff, F., Vuataz, F.-D., Wright, R. and Richards, R.G., 1984a. Hydrogeochemistry of the Qualibou Caldera geothermal system, St. Lucia, West Indies. *Transactions - Geothermal Resources Council*, 8: 377-382.
- Goff, F.E. et al., 1984b. Valles Caldera a 856-m corehole in the southwestern ring-fracture zone of Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 65(45): 1096.
- Goldstein, N.E., Morrison, H.F. and Wilt, M.J., 1983. Deep electromagnetic and magnetotelluric sounding at the Long Valley Caldera for the detection of a magmatic hydrothermal system. *Earth Sciences*, 6(3): 1-5.
- Gottsmann, J., Berrino, G., Rymer, H. and Williams-Jones, G., 2003. Hazard assessment during caldera unrest at the Campi Flegrei, Italy: a contribution from gravity-height gradients. *Earth and Planetary Science Letters*, 211(3-4): 295-309.
- Gottsmann, J., Camacho, A., Fernandez, J. and Tiampo, K.F., 2006a. Spatio-temporal variations in vertical gravity gradients at the Campi Flegrei caldera (Italy): A case for source multiplicity during unrest? *Geophysical Journal International*, 167: 1089-1096.
- Gottsmann, J. and Dingwell, D., 2002. The thermal history of a spatter-fed lava flow: The 8-ka pantellerite flow on Mayor Island, New Zealand. *Bulletin of Volcanology*, 64: 410-422.

- Gottsmann, J., Folch, A. and Rymer, H., 2006b. Caldera unrest at Campi Flegrei: a contribution to the magmatic vs. hydrothermal debate from inverse and finite element modeling. *Journal of Geophysical Research*, 111(B07203): doi 10.1029/2005JB003745.
- Gottsmann, J. and Rymer, H., 2002. Deflation during caldera unrest: constraints on subsurface processes and hazard prediction from gravity-height data. *Bulletin of Volcanology*, 64(5): 338-348.
- Gottsmann, J., Rymer, H. and Berrino, G., 2006c. Unrest at the Campi Flegrei caldera (Italy): A critical evaluation of source parameters from geodetic data inversion. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 132-145.
- Gottsmann, J., Rymer, H. and Wooller, L.K., 2005. On the interpretation of gravity variations in the presence of active hydrothermal systems: Insights from the Nisyros Caldera, Greece. *Geophysical Research Letters*, 32(L23310): doi:10.1029/2005GL024061.
- Grauch, V.J.S., Aeromagnetic and gravity models of the pluton below the Lake City Caldera, Colorado.
- Grauch, V.J.S., 1987. Aeromagnetic and gravity studies of Lake City Caldera, San Juan Mountains, Colorado. Abstracts with Programs - Geological Society of America, 19(5): 279.
- Grauch, V.J.S. and Campbell, D.L., 1983. Aeromagnetic and gravity models of the Lake City Caldera, Colorado. *Eos, Transactions, American Geophysical Union*, 64(45): 880.
- Grauch, V.J.S., Sweetkind, D.S. and Reynolds, R.L., 1989. Rock magnetic and petrologic explanations for aeromagnetic features at the Lake City Caldera, San Juan Mountains, Colorado, USA. *IAGA Bulletin*, 53: 175.
- Gray, J.P. and Monaghan, J.J., 2004. Numerical modelling of stress fields and fracture around magma chambers. *Journal of Volcanology and Geothermal Research*, 135: 259-283.
- Greene, H.G. and Exon, N.F., 1988. Acoustic stratigraphy and hydrothermal activity within Epi submarine caldera, Vanuatu, New Hebrides Arc. *Geo-Marine Letters*, 8(3): 121-129.
- Greene, H.G., Tiffin, D.L. and McKee, C.O., 1986. Structural deformation and sedimentation in an active caldera, Rabaul, Papua New Guinea. *Journal of Volcanology and Geothermal Research*, 30(3-4): 327-356.
- Greene, R.C., 1975. Welded tuffs and lavas of the McDermitt Caldera, Nevada-Oregon. Abstracts with Programs - Geological Society of America, 7(5, Rocky Mountain Section, 28th annual meeting): 611.
- Gromme, S., Deino, A.M., Best, M.G. and Hudson, M.R., 1997. Geochronologic and paleomagnetic evidence defining the relationship between the Miocene Hiko and Racer Canyon tuffs, eccentric outflow lobes from the Caliente caldera complex, southeastern Great Basin, USA. *Bulletin of Volcanology*, 59(1): 21-35.
- Grunder, A.L., 1987. Low Li^{+} - O silicic volcanic rocks at the Calabozos caldera complex, southern Andes. *Contributions to Mineralogy and Petrology (Historical Archive)*, 95(1): 71-81.
- Gudmundsson, A., 1998a. Formation and development of normal-fault calderas and the initiation of large explosive eruptions. *Bulletin of Volcanology*, 60: 160-170.

- Gudmundsson, A., 1998b. Formation and development of normal-fault calderas and the initiation of large explosive eruptions. *Bulletin of Volcanology*, 60(3): 160-170.
- Gudmundsson, A., 1998c. Formation of collapse calderas. *Geology*, 16: 808-810.
- Gudmundsson, A., 1999. Explosive eruptions triggered by dip slip on caldera faults. *Volcanology and Seismology* 20 239-254.
- Gudmundsson, A., 2006. How local stresses control magma-chamber ruptures, dyke injections, and eruptions in composite volcanoes. *Earth Science Reviews*, doi: 10.1016/j.earscirev.2006.06.006 (online 28 August 2006).
- Gudmundsson, A. and Nilsen, K., 2006. Ring faults in composite volcanoes: structures, models and stress fields associated with their formation. In: C. Troise, De Natale, G. & Kilburn, C.R.J. (Editor), *Mechanisms of Activity and Unrest at Large Calderas*. Geological Society Special Publication, London, pp. 83-108.
- Gudmundsson, M.T., 1989. The Grimsvotn Caldera, Vatnajokull; subglacial topography and structure of caldera infill. *Joekull*, 39: 1-20.
- Gudmundsson, O. et al., 1999. P-velocity tomography of shallow structure beneath Rabaul Caldera based on local earthquake and explosion data. International Union of Geodesy and Geophysics General Assembly = Union Geodesique et Geophysique Internationale Comptes Rendus de la ...Assemblee Generale, 99, WEEK B: 152.
- Guidarelli, M., Sarao, A. and Panza, G.F., 2002. Surface wave tomography and seismic source studies at Campi Flegrei (Italy). *Physics of The Earth and Planetary Interiors*, 134(3-4): 157-173.
- Hallinan, S., 1993. Nonchaotic collapse at funnel calderas; gravity study of the ring fractures at Guayabo Caldera, Costa Rica. *Geology*, 21(4): 367-370.
- Hallinan, S. and Brown, G., 1995. Incremental collapse and stratocone growth within a funnel-shaped caldera, Guayabo, Costa Rica. *Journal of Volcanology and Geothermal Research*, 67(1-3): 101-122.
- Hamilton, W., Geology and petrogenesis of the Island Park Caldera of rhyolite and basalt, eastern Idaho.
- Hamilton, W.L., 1985. Deformation models for interpreting warped Holocene terraces of Yellowstone Lake and the Yellowstone River at the Yellowstone Caldera, Wyoming. *Eos, Transactions, American Geophysical Union*, 66(46): 853.
- Hamilton, W.L., 1987. Water level records used to evaluate deformation within the Yellowstone Caldera, Yellowstone National Park. *Journal of Volcanology and Geothermal Research*, 31(3-4): 205-215.
- Harpel, C.J., Kyle, P.R., Esser, R.P., McIntosh, W.C. and Caldwell, D.A., 2004. $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the eruptive history of Mount Erebus, Antarctica: summit flows, tephra, and caldera collapse. *Bulletin of Volcanology*, 66(8): 687-702.
- Harris, A.J.L., Carniel, R. and Jones, J., 2005. Identification of variable convective regimes at Erta Ale Lava Lake. *Journal of Volcanology and Geothermal Research*, 142: 207-223.
- Hausback, B.P., Frizzell, V.A., Jr. and Anonymous, 1986. Southeastern Stonewall Mountain Caldera, Nye County, Nevada; volcanic stratigraphy and structure. *Eos, Transactions, American Geophysical Union*, 67(44): 1261.

- Heiken, G., 1990. Scientific proposals for a continuing scientific drilling program in the Valles-Toledo caldera complex. *Eos, Transactions, American Geophysical Union*, 71(12): 337.
- Heiken, G., Goff, F., Gardner, J.N. and Baldridge, W.S., 1990. The Valles/Toledo caldera complex, Jemez Volcanic field, New Mexico. *Annual Review of Earth and Planetary Sciences*, 18: 27-53.
- Heming, R.F., 1977. Mineralogy and proposed <i>P-T</i> paths of basaltic lavas from Rabaul caldera, Papua New Guinea. *Contributions to Mineralogy and Petrology (Historical Archive)*, 61(1): 15-33.
- Heming, R.F. and Carmichael, I.S.E., 1973. High-temperature pumice flows from the Rabaul caldera Papua, New Guinea. *Contributions to Mineralogy and Petrology (Historical Archive)*, 38(1): 1-20.
- Henry, C.D. et al., Structure of the Solitario Dome and caldera.
- Henry, C.D. and Price, J.G., 1989. The Christmas Mountains caldera complex, Trans-Pecos Texas. *Bulletin of Volcanology (Historical Archive)*, 52(2): 97-112.
- Henry, C.D., Price, J.G. and Anonymous, 1983. The Van Horn Mountains caldera; stratigraphy, origin, age and structure. *Abstracts with Programs - Geological Society of America*, 15(1): 8.
- Henry, C.D., Price, J.G. and Smyth, R.C., 1988. Chemical and thermal zonation in a mildly alkaline magma system Infiernito Caldera, Trans-Pecos Texas. *Contributions to Mineralogy and Petrology (Historical Archive)*, 98(2): 194-211.
- Hermance, J.F. and Anonymous, 1986. Efficient modeling of 3-D magnetotelluric fields in complicated basin structures; application to Long Valley Caldera. *SEG Abstracts*, 1986(1): 74-79.
- Hermance, J.F. and Anonymous, 1987. Efficient modeling of 3-D magnetotelluric fields in complicated basin structures; application to Long Valley Caldera. *Geophysics*, 52(3): 384-385.
- Hermance, J.F. and Karlsdottir, R., 1986. The major boundary faults in eastern Long Valley Caldera; magnetotelluric and gravity constraints. *Geophysical Research Letters*, 13(5): 479-482.
- Hermance, J.F. and Neumann, G.A., 1985. Refined analysis of telluric, magnetotelluric and magnetic variation data in Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 66(18): 392.
- Hermance, J.F. and Neumann, G.A., 1988. Evidence for multiple boundary faults beneath the northwest moat of Long Valley Caldera; magnetotelluric results. *Geophysical Research Letters*, 15(12): 1437-1440.
- Hermance, J.F., Neumann, G.A. and Slocum, W., 1988a. The regional subsurface structure of Long Valley (California) Caldera fill from gravity and magnetotelluric data. *Geological Society of America Bulletin*, 100(11): 1819-1823.
- Hermance, J.P., Neumann, G.A. and Slocum, W., 1988b. The regional subsurface structure of Long Valley (California) caldera fill from gravity and magnetotelluric data. *Geological Society of America Bulletin*, 100(11): 1819-1823.
- Heumann, A., Davies, G.R. and Elliott, T.U.-h.w.s.c.s.a.B.V.-S.-B.d.b.c.c.a.d., 2002. Crystallization history of rhyolites at Long Valley, California, inferred from combined U-series and Rb-Sr isotope systematics. *Geochimica et Cosmochimica Acta*, 66(10): 1821-1837.

- Hildreth, W., 1991. The timing of caldera collapse at Mount Katmai in response to magma withdrawal toward Novarupta. *Journal of Geophysical Research*, 18: 1541-1544.
- Hildreth, W., 1996. Kulshan Caldera: a Quaternary subglacial caldera in the North Cascades, Washington. *Geological Society of America Bulletin* 108: 786-793.
- Hildreth, W., 2004. Volcanological perspectives on Long Valley, Mammoth Mountain, and Mono Craters: several contiguous but discrete systems. *Journal of Volcanology and Geothermal Research*, 136(3-4): 169-198.
- Hildreth, W., Grunder, A.L. and Drake, R.E., 1984. The Loma Seca Tuff and the Calabozos Caldera; a major ash-flow and caldera complex in the Southern Andes of central Chile. *Geological Society of America Bulletin*, 95(1): 45-54.
- Hildreth, W., Lanphere, M., Champion, D.E. and Fierstein, J., 2004. Rhyodacites of Kulshan caldera, North Cascades of Washington: postcaldera lavas that span the Jaramillo. *Journal of Volcanology and Geothermal Research*, 130: 227-264.
- Hill, D.P., 1976. Structure of Long Valley Caldera, California, from a seismic refraction experiment. *Journal of Geophysical Research*, 81(5): 745-753.
- Hill, D.P., McHugh, S. and Pakiser, L.C., 1973. Structure of the Long Valley Caldera from Detailed Seismic-Refraction Measurements. *Eos, Transactions, American Geophysical Union*, 54(11): 1211.
- Hill, D.P. and Prejean, S., 2005. Magmatic unrest beneath Mammoth Mountain, California. *Journal of Volcanology and Geothermal Research*, 146(4): 257-283.
- Hochstein, M.P., Yamada, Y., Kohpina, P., Doens, E.F. and Anonymous, 1987. Reconnaissance of the Tikorangi Geothermal Prospect (HaroHaro-Okitaina Caldera), New Zealand. *Proceedings of the New Zealand Geothermal Workshop*, 9: 31-36.
- Hofton, M.A. et al., 2000. Using airborne laser altimetry to detect topographic change at Long Valley Caldera, California. *Geophysical Monograph*, 116: 249-264.
- Holcomb, D.J., Kranz, R. and Dey, T.N., 1984. Acoustic emission activity associated with strain relaxation in fresh core from the Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 65(45): 1119.
- Holcomb, R.T., Anders, N.-L., Reiners, P.W., Carracedo, J.C. and Anonymous, 1993. Magnetostratigraphy used to outline caldera structure and history of Waianae Volcano, Hawaii. *Eos, Transactions, American Geophysical Union*, 74(43, Suppl.): 642.
- Hollis, J.R., Klingele, E.E., Smith, R.B., Schlinger, C.S. and Anonymous, 1987. Precision gravity reobservations of crustal deformation in the Yellowstone Caldera. *Eos, Transactions, American Geophysical Union*, 68(44): 1452.
- Houghton, B.F., Weaver, S.D., Wilson, C.J.N. and Lanphere, M.A., 1992. Evolution of a Quaternary peralkaline volcano; Mayor Island, New Zealand. *Journal of Volcanology and Geothermal Research*, 51(3): 217-236.
- Houghton, B.F. et al., 1995. Chronology and dynamics of a large silicic magmatic system; central Taupo volcanic zone, New Zealand. *Geology (Boulder)*, 23(1): 13-16.
- Houghton, B.F., Wilson, C.J.N. and Weaver, S.D., 1985a. Fused tree moulds in an unwelded airfall deposit, Mayor Island, New Zealand. *Record - New Zealand Geological Survey*, 8: 37-41.

- Houghton, B.F., Wilson, C.J.N. and Weaver, S.D., 1985b. The Ruru Pass tephra, a peralkaline welded airfall tuff from Mayor Island. Record - New Zealand Geological Survey, 8: 30-36.
- Houghton, B.F., Wilson, C.J.N. and Weaver, S.D., 1985c. Strombolian deposits at Mayor Island : "Basaltic" eruption styles displayed by a peralkaline rhyolitic volcano. Record - New Zealand Geological Survey, 8: 42-51.
- Houghton, B.F., Wilson, C.J.N. and Weaver, S.D., 1987. The Opo Bay tuff cone, Mayor Island; interaction between rising gas-poor pantelleritic magma and external water. Record - New Zealand Geological Survey, 18: 79-85.
- Huertas, M.J., Arnaud, N.O., Ancochea, E., Cantagrel, J.M. and Fuster, J.M.U.-h.w.s.c.s.a.B.V.-N.-d.a.a.b.a.a.f.d.d., 2002. $^{40}\text{Ar}/^{39}\text{Ar}$ stratigraphy of pyroclastic units from the Canadas Volcanic Edifice (Tenerife, Canary Islands) and their bearing on the structural evolution. Journal of Volcanology and Geothermal Research, 115(3-4): 351-365.
- Huffman, A.R., Brown, J.M., Carter, N.L. and Reimold, W.U., 1993. The Microstructural Response of Quartz and Feldspar Under Shock Loading at Variable Temperatures. Journal of Geophysical Research-Solid Earth, 98(B12): 22171-22197.
- Huffman, A.R. and Reimold, U.W., 1996. Experimental constraints on shock-induced microstructures in naturally deformed silicates. Tectonophysics, 256(1-4): 165-217.
- Hunt, T.M., 1992. Gravity anomalies, caldera structure, and subsurface geology in the Rotorua area, New Zealand. Geothermics, 21(1-2): 65-74.
- Hurlimann, M., Garcia-Piera, J.O. and Ledesma, A., 2000. Causes and mobility of large volcanic landslides: application to Tenerife, Canary Islands. Journal of Volcanology and Geothermal Research, 103(1-4): 121-134.
- Iriondo, A., Atkinson, W.W., Jr., Martinez Torres, L.M. and Anonymous, 1996. El Pilar Caldera; an example of early Miocene calc-alkaline magmatism in the Quitovac area, northwestern Sonora, Mexico. Abstracts with Programs - Geological Society of America, 28(7): 441-442.
- Ishida, M., Sakamoto, I. and Anonymous, 1999. Geomagnetic structures of the submarine caldera located between Hachijo-jima Island and Aogashima Island, northern part of the Izu-Ogasawara Arc. International Union of Geodesy and Geophysics General Assembly = Union Geodesique et Geophysique Internationale Comptes Rendus de la ...Assemblee Generale, 99, Week B: 101.
- Ishihara, S. and Imaoka, T., 1999. A proposal of caldera-related genesis for the Roseki Deposits in the Mitsuishi mining area, Southwest Japan. Resource Geology (Tokyo 1998), 49(3): 157-162.
- Iuliano, T., Mauriello, P. and Patella, D., 2001. A probability tomography approach to the analysis of potential field data in the Campi Flegrei Caldera (Italy). Annali di Geofisica, 44(2): 403-420.
- Jachens, R.C., Roberts, C.W. and Anonymous, 1985. Temporal and areal gravity investigations at Long Valley Caldera, California. JGR. Journal of Geophysical Research. B, 90(13): 11,210-11,218.
- Jachens, R.C., Roberts, C.W. and Jacobson, M.L., Gravity investigations at Long Valley Caldera, California.
- Jackson, S.M., Smith, R.B. and Olsen, T.L., 1984. Recent uplift of the Yellowstone Caldera from precision gravity measurements. Eos, Transactions, American Geophysical Union, 65(45): 1118.

- Jellinek, A.M. and DePaolo, D.J., 2003. A model for the origin of large silicic magma chambers: precursors of caldera-forming eruptions. *Bulletin of Volcanology*, 65(5): 363-381.
- Jiracek, G.R. et al., 1996. Correlation of magnetotelluric data and geothermal drilling in the Valles Caldera region, New Mexico. *SEG Annual Meeting Expanded Technical Program Abstracts with Biographies*, 66: 277-280.
- Johnsen, G.V., Bjornsson, A. and Sigurdsson, S., 1980. Gravity and elevation changes caused by magma movement beneath the Krafla Caldera, Northeast-Iceland. *Journal of Geophysics*, 47: 132-140.
- Johnson, R.A. et al., 1986. Seismic reflection profiling in the Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 67(16): 313.
- Johnston, M.J.S., Mueller, R.J., Langbein, J.O. and Anonymous, 1992. Ongoing volcanomagnetic, geodetic and seismicity anomalies observed from mid-1989 in Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 73(25, Suppl.): 60.
- Johnston, M.J.S., Mueller, R.J., Silverman, S.A. and Keller, V.G., 1982. Magnetic measurements across the Long Valley Caldera, 1972-1983; a comparison with observations and mechanisms during the Matsushiro earthquake swarm. *Earthquake Notes*, 54(1): 90.
- Jones, J., Carniel, R., Harris, A.J.L. and Malone, S., 2006. Seismic characteristics of variable convection at Erta Ale lava lake, Ethiopia. *Journal of Volcanology and Geothermal Research*, 153: 64-79.
- Jones, R.H., Stewart, R.C. and Anonymous, 1993. The structure of the active ring fault at Rabaul Caldera determined from an analysis of earthquake location errors. *Eos, Transactions, American Geophysical Union*, 74(43, Suppl.): 402.
- Jonsson, S., Zebker, H. and Amelung, F., 2005. On trapdoor faulting at Sierra Negra volcano, Galapagos. *Journal of Volcanology and Geothermal Research*, 144(1-4): 59-71.
- Kamata, H. and Anonymous, 1989. Subsurface structure of the funnel-shaped Shishimuta Caldera, the buried source of the Yabakei pyroclastic flow, central Kyushu, Japan. *Abstracts with Programs - Geological Society of America*, 21(5): 99.
- Kamata, H. and Anonymous, 1992. Subsurface structure and tectonic setting of Shishimuta Caldera, a funnel-shaped caldera in central Kyushu, Japan. *International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes*, 29: 483.
- Kamata, H., Suzuki-Kamata, K. and Bacon, C.R., 1993. Deformation of the Wineglass Welded Tuff and the timing of caldera collapse at Crater Lake, Oregon. *Journal of Volcanology and Geothermal Research*, 56: 253-266.
- Kaminski, E. and Jaupart, C., 1997. Expansion and quenching of vesicular magma fragments in Plinian eruptions. *Journal of Geophysical Research-Solid Earth*, 102(B6): 12187-12203.
- Kane, M.F., Mabey, D.R. and Brace, R.L., 1976. A gravity and magnetic investigation of the Long Valley Caldera, Mono County, California. *Journal of Geophysical Research*, 81(5): 754-762.
- Karâtton, D.v., Thouret, J.-C., Moriya, I. and Lomoschitz, A., 1999. Erosion calderas: origins, processes, structural and climatic control. *Bulletin of Volcanology*, 61(3): 174-193.
- Karig, D.E., Geophysical evidence of a caldera at Bonanza, Colorado.

- Karson, J.A. and Anonymous, 2001. New views of seafloor spreading from the geology of ophiolites and oceanic crust; continually collapsing calderas to core complexes. Abstracts with Programs - Geological Society of America, 33(6): 173.
- Keller, G.R. et al., 1983. A cooperative crustal structure study of the Rio Grande Rift and Valles Caldera. Eos, Transactions, American Geophysical Union, 64(45): 752.
- Kennedy, B. and Stix, J., 2003. Igneous rock associations; 1, Styles and mechanisms of caldera collapse. Geoscience Canada, 30(2): 59-72.
- Kennedy, B., Stix, J., Vallance, J.W., Lavallee, Y. and Longpre, M.-A., 2004. Controls on caldera structure: Results from analogue sandbox modeling. Geological Society of America Bulletin, 116: 515-524.
- Kennedy, B.M., Stix, J., Lavallee, Y., Vallance, J. and Anonymous, 1999. Controls on caldera structure and morphology; results from experimental simulations. Eos, Transactions, American Geophysical Union, 80(46, Suppl.): 1121.
- Kinsland, G.L., Duex, T.W., McCullen, M.F. and Anonymous, 1990. Ground magnetic survey of the Sierra Quemada Caldera, Big Bend National Park, Texas. Abstracts with Programs - Geological Society of America, 22(7): 204.
- Kissling, E., Cockerham, R.S. and Ellsworth, W.L., 1983. Structure of the Long Valley Caldera region as interpreted from seismic data. Eos, Transactions, American Geophysical Union, 64(45): 890.
- Kissling, E., Ellsworth, W.L., Cockerham, R.S. and Jacobson, M.L., Three-dimensional structure of the Long Valley Caldera, California, region by geotomography.
- Kobayashi, S., Fujii, N., Okubo, S. and Anonymous, 1999. Detection and modeling of crustal movements around active volcanoes in Japan using JERS-1 SAR interferometry; on Mt. Iwate, the Izu Peninsula and the Onikobe Caldera. Eos, Transactions, American Geophysical Union, 80(46, Suppl.): 1195.
- Kobayashi, T., Ida, Y. and Ohminato, T., 2005. Small inflation sources producing seismic and infrasonic pulses during the 2000 eruptions of Miyake-jima, Japan. Earth and Planetary Science Letters, 240(2): 291-301.
- Kolstad, C.D. and McGetchin, T.R., 1978. Thermal evolution models for the Valles Caldera with reference to a hot-dry-rock geothermal experiment. Journal of Volcanology and Geothermal Research, 3(1-2): 197-218.
- Komazawa, M. and Mishina, M., 2002. Caldera structure inferred from gravity anomalies west of Nagamachi-Rifu Fault, Northeast Japan. Earth, Planets and Space, 54(11): 1049-1053.
- Komuro, H. and Anonymous, 1992. Mechanism of caldera formation; experimental approach. International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes, 29: 481.
- Krippner, S.J.P., Briggs, R.M. and Anonymous, 1999. Epithermal alteration and mineralisation at the Kapowai Caldera Complex, Coromandel Peninsula. Annual General Meeting and Conference - The Australasian Institute of Mining and Metallurgy, New Zealand Branch, 32: 23-30.
- Kubotera, A. and Otsuka, M., 1970. Nature of non-volcanic microtremor observed on the Aso Caldera. Journal of Physics of the Earth, 18(1): 115-124.
- Kubotera, A., Sumitomo, N., Doi, H., Tajima, H. and Izutuya, S., 1968a. On the gravity survey over the Kuju volcanic region and Kuju Caldera. Kasan = Bulletin of the Volcanological Society of Japan, 13(3): 131-140.

- Kubotera, A., Sumitomo, N., Tazima, H. and Izutuya, S., 1968b. A gravity survey on Aso Caldera, Kyushu District, Japan (II). Special Contributions of the Geophysical Institute, Kyoto University, 8: 83-89.
- Kuno, H., Oki, Y., Ogino, K. and Hirota, S., 1971. Structure of Hakone Caldera as revealed by drilling. *Bulletin Volcanologique*, 34(3): 713-725.
- Kurozumi, H., Doi, N. and Anonymous, 1995. Inner structure of the funnel-shaped Nigorikawa Caldera clarified by 3km deep geothermal wells, Hokkaido, Japan. International Union of Geodesy and Geophysics, General Assembly, 21, Week B: 419.
- Lachenbruch, A.H., Sass, J.H., Munroe, R.J. and Moses, T.H., Jr., 1976. Geothermal setting and simple heat conduction models for the Long Valley Caldera. *Journal of Geophysical Research*, 81(5): 769-784.
- Laidley, R.A. and McKay, D.S., 1971. Geochemical examination of obsidians from Newberry Caldera, Oregon. *Contributions to Mineralogy and Petrology (Historical Archive)*, 30(4): 336-342.
- Lamarche, G., 1992. Seismic reflection survey in the geothermal field of the Rotorua Caldera, New Zealand. *Geothermics*, 21(1-2): 109-119.
- Lanari, R. et al., 2004. The use of IFSAR and classical geodetic techniques for caldera unrest episodes: application to the Campi Flegrei uplift event of 2000. *Journal of Volcanology and Geothermal Research*, 133(1-4): 247-260.
- Langbein, J.O., 1989. Deformation of the Long Valley Caldera, eastern California, from mid-1983 to mid-1988; measurements using a two-color geodimeter. *Journal of Geophysical Research, B, Solid Earth and Planets*, 94(4): 3833-3849.
- Langbein, J.O., Linker, M.F. and Tupper, D.L., 1985. Steady decrease in extension rate within the Long Valley Caldera, eastern California, 1983.48-1985.67. *Eos, Transactions, American Geophysical Union*, 66(46): 852.
- Langbein, J.O., Tupper, D. and Anonymous, 1987. Deformation of the Long Valley Caldera; results from 4 years of two-color geodimeter measurements. *Eos, Transactions, American Geophysical Union*, 68(44): 1246.
- Larson, G.L., 1989. Geographical distribution, morphology and water quality of caldera lakes: a review. *Hydrobiologia (Historical Archive)*, 171(1): 23-32.
- Larson, P.B. and Taylor, H.P., 1986. $^{18}\text{O}/^{16}\text{O}$ ratios in ash-flow tuffs and lavas erupted from the central Nevada caldera complex and the central San Juan caldera complex, Colorado. *Contributions to Mineralogy and Petrology (Historical Archive)*, 92(2): 146-156.
- Latifova, Y.N., Primary magma of rocks of Chegem Caldera structure (the Northern Caucasus).
- Lavallee, Y., Stix, J., Kennedy, B., Richer, M. and Longpre, M.-A., 2004. Caldera subsidence in areas of variable topographic relief; results from analogue modeling. *Journal of Volcanology and Geothermal Research*, 129(1-3): 219-236.
- Lehman, J.A., Smith, R.B., Schilly, M.M. and Braile, L.W., 1982. Upper crustal structure of the Yellowstone Caldera from seismic delay time analyses and gravity correlations. *JGR. Journal of Geophysical Research. B*, 87(4): 2713-2730.
- Leonard, M.A. and Johnson, L.R., 1987. Velocity structure of Silent Canyon Caldera, Nevada Test Site. *Bulletin of the Seismological Society of America*, 77(2): 597-613.

- Levine, J., Busby, R. and Meertens, C., 1985. The influence of geologic structure on tidal tilt measurements in the vicinity of the Yellowstone Caldera. *Eos, Transactions, American Geophysical Union*, 66(46): 853.
- Linde, A.T., Sacks, I.S., Johnston, M.J.S., Hill, D.P. and Bilham, R.G., 1994. Increased pressure from rising bubbles as a mechanism for remotely triggered seismicity. *Nature*, 371: 408-410.
- Linker, M.F., Langbein, J.O. and Estrem, J.E., 1984. Horizontal deformation in the southwest moat of Long Valley Caldera, eastern California, for the period 1983.5 - 1984.6. *Eos, Transactions, American Geophysical Union*, 65(45): 1117.
- Lipman, P., 2000. Calderas. In: H. Sigurdsson, B.F. Houghton, S.R. McNutt, H. Rymer and J. Stix (Editors), *Encyclopedia of Volcanoes*. Academic Press, San Diego, pp. 643-662.
- Lipman, P.W., 1967. Mineral and chemical variations within an ash-flow sheet from Aso caldera, Southwestern Japan. *Contributions to Mineralogy and Petrology (Historical Archive)*, 16(4): 300-327.
- Lipman, P.W., 1997. Subsidence of ash-flow calderas: relation to caldera size and magma-chamber geometry. *Bulletin of Volcanology*, 59(3): 198-218.
- Lipman, P.W. and Jacobson, M.L., Structure of the Tertiary Questa Caldera, New Mexico; an eroded analog for current activity at Long Valley.
- Lipman, P.W., Lanphere, M.A., Reynolds, R.L., Rosenbaum, J.G. and Anonymous, 1994. Ash-flow sheets and calderas of the central San Juan volcanic field, Colorado; framework for the Creede scientific drilling project. *Abstracts with Programs - Geological Society of America*, 26(7): 398.
- Lipman, P.W., Zoback, M.L. and Rowland, S.M., 1990. The Cretaceous Tucson Mountains caldera; an asymmetrical trap-door subsidence structure. *Abstracts with Programs - Geological Society of America*, 22(3): 37.
- Lirer, L., Petrosino, P. and Alberico, I., 2001a. Hazard assessment at volcanic fields: the Campi Flegrei case history. *Journal of Volcanology and Geothermal Research*, 112(1-4): 53-73.
- Lirer, L., Petrosino, P. and Alberico, I.U.-h.w.s.c.s.a.B.V.-R.-d.b.f.d.f.d.c.d.d., 2001b. Hazard assessment at volcanic fields: the Campi Flegrei case history. *Journal of Volcanology and Geothermal Research*, 112(1-4): 53-73.
- Long, C.L. and Anonymous, 1985. Regional audiagnetotelluric study of the Questa Caldera, New Mexico. *JGR. Journal of Geophysical Research. B*, 90(13): 11,270-11,274.
- Long, C.L., O'Donnell, J.E. and Smith, B.D., 1975. Geophysical studies in the Island Park Caldera, Idaho. *Abstracts with Programs - Geological Society of America*, 7(5, Rocky Mountain Section, 28th annual meeting): 623.
- Lowell, G.R. and Anonymous, 2000. Development of a non-classical caldera in the Mesoproterozoic St. Francois Terrane of southeastern Missouri. *Abstracts with Programs - Geological Society of America*, 32(3): 34.
- Lowry, A.R., Smith, R.B. and Anonymous, 1990. Increased spatial resolution of elastic thickness determinations using a maximum entropy spectral estimator with an example from the Yellowstone Caldera. *Eos, Transactions, American Geophysical Union*, 71(43): 1598.
- Luetgert, J.H. and Mooney, W.D., 1985. Crustal refraction profile of the Long Valley Caldera, California, from the January 1983 Mammoth Lakes earthquake swarm. *Bulletin of the Seismological Society of America*, 75(1): 211-221.

- Lundgren, P. et al., 2001. Modeling surface deformation observed with synthetic aperture radar interferometry at Campi Flegrei caldera. *Journal of Geophysical Research*, 106(B9): 19355-19366.
- Luongo, G. et al., 1992. Dynamics and structure models for the Campi Flegrei Caldera and surrounding areas. *International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes*, 29: 481.
- Lutter, W. et al., 1994. Teleseismic P-wave image of crustal structure beneath Valles Caldera, New Mexico; initial results from the 1993 JTEX passive array. *Eos, Transactions, American Geophysical Union*, 75(16, Suppl.): 242.
- Lutter, W.J. et al., 1995. Teleseismic P-wave image of crust and upper mantle structure beneath the Valles Caldera, New Mexico; initial results from the 1993 JTEX passive array. *Geophysical Research Letters*, 22(4): 505-508.
- Lysne, P., 1991. Pressure, volume, temperature states within the VC-2B corehole, Valles Caldera, New Mexico, U.S.A. *Applied Geochemistry*, 6(6): 665-670.
- MacDonald, W.D. and Palmer, H.C., 1991. Flow directions in ash-flow tuffs: a comparison of geological and magnetic susceptibility measurements, Tshirege member (upper Bandelier Tuff), Valles caldera, New Mexico, USA. *Bulletin of Volcanology (Historical Archive)*, 53(1): 45-59.
- Mackenzie, J.S. and Ringrose, P.S., 1986. Use of SEASAT SAR imagery for geological mapping in a volcanic terrain; Askja Caldera, Iceland. *International Journal of Remote Sensing*, 7(2): 181-194.
- Mahood, G. and Hildreth, W., 1983. Nested calderas and trapdoor uplift at Pantelleria, Strait of Sicily. *Geology (Boulder)*, 11(12): 722-726.
- Mahood, G.A., 1983. Calderas in strongly peralkaline systems, AGU 1983 fall meeting. *Eos, Transactions, American Geophysical Union*. American Geophysical Union, Washington, DC, United States, pp. 883.
- Mahood, G.A. and Hildreth, W., 1980. Pantelleria, a new interpretation. In: Anonymous (Editor), *American Geophysical Union; 1980 fall meeting. Eos, Transactions, American Geophysical Union*. American Geophysical Union, Washington, DC, United States, pp. 1141.
- Malin, M.C., Evans, D. and Elachi, C., 1978. Imaging radar observations of Askja Caldera, Iceland. *Geophysical Research Letters*, 5(11): 931-934.
- Manley, C.R., 1996. Physical volcanology of a voluminous rhyolite lava flow: The Badlands lava, Owyhee Plateau, Southwestern Idaho. *Journal of Volcanology and Geothermal Research*, 71(2-4): 129-153.
- Manley, C.R. and Fink, J.H., 1988. Thermal modeling of cooling rhyolite lava flows, AGU 1988 Fall Meeting. *Eos, Transactions, American Geophysical Union*. American Geophysical Union, San Francisco, United States, pp. 1486.
- Marcotte, D. and Pesant, A., 1991. Ash flows and epithermal features of the Creede Caldera in Colorado; feasibility of mapping with seismic techniques. *Journal of Geophysical Research, B, Solid Earth and Planets*, 96(3): 4133-4143.
- Marti, J., Ablay, G.J., Redshaw, L.T. and Sparks, R.S.J., 1994a. Experimental studies on caldera collapse. *Journal of the Geological Society, London*, 151: 919-929.
- Marti, J., Folch, A., Neri, A. and Macedonio, G., 2000. Pressure evolution during explosive caldera-forming eruptions. *Earth and Planetary Science Letters*, 175(3-4): 275-287.
- Marti, J. and Gudmundsson, A., 2000. The Las Canadas caldera (Tenerife, Canary Islands): an overlapping collapse caldera generated by magma-chamber migration. *Journal of Volcanology and Geothermal Research*, 103(1-4): 161-173.

- Marti, J., Hürlimann, M., Ablay, G. and Gudmundsson, A., 1997. Vertical and lateral collapses on Tenerife (Canary Islands) and other volcanic ocean islands. *Geology*, 25(9): 879-882.
- Marti, J., Hürlimann, M., Ablay, G. and Gudmundsson, A., 1998. Vertical and lateral collapses on Tenerife (Canary Islands) and other volcanic ocean islands: Reply. *Geology*, 26(9): 862-863.
- Marti, J., Mitjavila, J. and Villa, I.M., 1994b. Stratigraphy, structure and geochronology of the Las Canadas caldera (Tenerife, Canary Islands). *Geological Magazine*, 131: 715-727.
- Martinez, M. et al., 1984. Magnetotelluric survey at Los Humeros Caldera, Puebla Mexico. *Eos, Transactions, American Geophysical Union*, 65(45): 867.
- Martini, B.A. et al., 1999. Geobotanical characterization of a geothermal system using hyperspectral imagery; Long Valley Caldera, CA, USA. *Proceedings of the Thematic Conference on Geologic Remote Sensing*, 13(1): 337-341.
- Martini, B.A., Silver, E.A. and Potts, D.C., Hyperspectral remote sensing in Long Valley Caldera; issues of scale, resolution, and signal to noise.
- Martini, B.A., Silver, E.A., Potts, D.C., Pickles, W.L. and Anonymous, 2000. Geological and geobotanical insights into the hydrothermal, structural, and magmatic systems of a restless caldera using three meter HyMap imagery; Long Valley Caldera, California, USA. *Proceedings of the ... International Conference on Applied Geologic Remote Sensing*, 14: 28-35.
- Mastin, L.G., 1991. The roles of magma and groundwater in the phreatic eruptions at Inyo Craters, Long Valley Caldera, California. *Bulletin of Volcanology (Historical Archive)*, 53(8): 579-596.
- Mastin, L.G., 1995. Thermodynamics of gas and steam-blast eruptions. *Bulletin of Volcanology*, 57(2): 85-98.
- Masturyono et al., 2001. Distribution of magma beneath Toba caldera complex, north Sumatra, Indonesia, constrained by three-dimensional P wave velocities, seismicity, and gravity. *Geochemistry, Geophysics, Geosystems*, 2: 2000GC000096.
- Matsubayashi, O. and Blackwell, D.D., 1983. Heat flow studies of the Yellowstone Caldera, Wyoming. *Eos, Transactions, American Geophysical Union*, 64(45): 896.
- McCall, G.J.H., 1964. Kilombe caldera, Kenya. *Proceedings of the Geologists' Association*, 75, Part 4: 563-572.
- McCall, G.J.H., LeMaitre, R.W., Malahoff, A., Robinson, G.P. and Stephenson, P.J., 1971. The geology and geophysics of the Ambrym Caldera, New Hebrides. *Bulletin Volcanologique*, 34(3): 681-696.
- McConnell, V.S., Valley, J.W. and Eichelberger, J.C., 1997. Oxygen isotope compositions of intracaldera rocks; hydrothermal history of the Long Valley Caldera, California. *Journal of Volcanology and Geothermal Research*, 76(1-2): 83-109.
- McKee, C., Mori, J. and Talai, B., 1989. Microgravity changes and ground deformation at Rabaul caldera, 1973-1985. In: J.H. Latter (Editor), *Volcanic Hazards: assessment and monitoring*. IAVCEI Proceedings in Volcanology 1. Springer-Verlag, pp. 399-428.
- McKee, C.O., Cooke, R.J.S., Talai, B., Almond, R.A. and Mori, J., 1985. Gravity changes accompanying structural deformation at Rabaul Caldera, Papua New Guinea. *Eos, Transactions, American Geophysical Union*, 66(46): 853.

- McKee, E.H., 1975. Origin of the McDermitt Caldera in Nevada and Oregon and its related mercury deposits. *Mining Engineering*, 27(12): 70.
- McKee, E.H. and Anonymous, 2003. Geology adapted to hydrology; Silent Canyon Caldera. *Abstracts with Programs - Geological Society of America*, 35(6): 617.
- McKee, E.H., Greene, R.C. and Foord, E.E., 1975. Chronology of volcanism, tectonism, and mineralization of the McDermitt Caldera, Nevada-Oregon. *Abstracts with Programs - Geological Society of America*, 7(5, Rocky Mountain Section, 28th annual meeting): 629-630.
- McLeod, P., 1999. The role of magma buoyancy in caldera-forming eruptions. *Geophysical Research Letters*, 26(15): 2299-2302.
- Meertens, C. and Levine, J., 1985. Compressive tectonic strain as a possible mechanism for long-term vertical deformation of the Yellowstone Caldera. *Eos, Transactions, American Geophysical Union*, 66(46): 853.
- Meertens, C.M., Smith, R.B. and Anonymous, 1995. Active deformation of the Yellowstone Caldera by GPS. *International Union of Geodesy and Geophysics, General Assembly*, 21, Week A: 448.
- Meertens, C.M., Smith, R.B., Stone, W., Greer, J.F. and Anonymous, 1987. The 1987 Yellowstone Caldera crustal deformation experiment; preliminary comparison between GPS and leveling. *Eos, Transactions, American Geophysical Union*, 68(44): 1452.
- Melekestsev, I.V., Volynets, O.N. and Antonov, A.Y., 1997. Nemo III Caldera (Onekotan I., the northern Kuriles); structure, (super 14) C age, dynamics of the caldera-forming eruption, evolution of juvenile products. *Volcanology and Seismology*, 19(1): 41-64.
- Mena, M. and Yokoyama, I., 1989. Structure and formation of La Primavera Caldera, Jalisco, Mexico. *Bulletin - New Mexico Bureau of Mines & Mineral Resources*, 131: 186.
- Migdisov, A.A. and Bychkov, A.Y., 1998. The behaviour of metals and sulphur during the formation of hydrothermal mercury-antimony-arsenic mineralization, Uzon caldera, Kamchatka, Russia. *Journal of Volcanology and Geothermal Research*, 84(1-2): 153-171.
- Milner, D., Cole, J. and Wood, C., 2002a. Asymmetric, multiple-block collapse at Rotorua Caldera, Taupo Volcanic Zone, New Zealand. *Bulletin of Volcanology*, 64(2): 134-149.
- Milner, D.M. and Anonymous, The structure and collapse of Rotorua Caldera.
- Milner, D.M., Cole, J.W. and Wood, C.P., 2002b. Asymmetric, multiple-block collapse at Rotorua Caldera, Taupo volcanic zone, New Zealand. *Bulletin of Volcanology*, 64(2): 134-149.
- Minakami, T. et al., 1969. The Ebino earthquake swarm and the seismic activity in the Kirisima volcanoes, in 1968-1969; part 1, Hypocentral distribution of the 1968 Ebino earthquakes inside the Kakuto Caldera. *Bulletin of the Earthquake Research Institute = Tokyo Daigaku Jishin Kenkyusho Iho*, 47, Part 4: 721-743.
- Miura, D., 1999a. Arcuate pyroclastic conduits, ring faults, and coherent floor at Kumano caldera, Southwest Honshu, Japan. *Journal of Volcanology and Geothermal Research*, 92: 271-294.
- Miura, D., 1999b. Evaluation of subsurface structure and long-term strain rate of Miocene Kumano Caldera, Japan, by use of fault population data. *International Union of Geodesy and Geophysics General Assembly = Union*

- Geodesique et Geophysique Internationale Comptes Rendus de la ...Assemblee Generale, 99, Week B: 70.
- Miura, D., 2005a. Effects of changing stress states on the development of caldera-bounding faults: Geological evidence from Kumano caldera, Japan. *Journal of Volcanology and Geothermal Research*, 144(1-4): 89-103.
- Miura, D., 2005b. Erratum to "Effects of changing stress states on the development of caldera-bounding faults: Geological evidence from Kumano caldera, Japan" [J. Volcanol. Geotherm. Res. 144 (2005), 89-103]. *Journal of Volcanology and Geothermal Research*, In Press, Corrected Proof.
- Miura, D. and Tamai, M., 1998. Intracaldera structure and megabreccias at Dorobu Caldera, northeastern Honshu, Japan. *Journal of Volcanology and Geothermal Research*, 80(3-4): 195-215.
- Montesinos, F.G., Camacho, A.G. and Vieira, R., 1999. Analysis of gravimetric anomalies in Furnas Caldera (Sao Miguel, Azores). *Journal of Volcanology and Geothermal Research*, 92(1-2): 67-81.
- Monzier, M., Robin, C. and Eissen, J.-P., 1994. Kuwae (nearly equal 1425 A.D.); the forgotten caldera. *Journal of Volcanology and Geothermal Research*, 59(3): 207-218.
- Moran-Zenteno, D.J., Alba-Aldave, L.A., Sole Vinas, J., Gonzalez-Torres, E.A. and Anonymous, 2002. The Tilzapotla-Buenavista Caldera; a tectono-magmatic feature associated with Eocene-Oligocene strike-slip tectonics in southern Mexico. *Abstracts with Programs - Geological Society of America*, 34(5): 98.
- Morgan, P., Blackwell, D.D., Spafford, R.E. and Smith, R.B., 1977. Heat flow measurements in Yellowstone Lake and the thermal structure of the Yellowstone Caldera. *Journal of Geophysical Research*, 82(26): 3719-3732.
- Morgan, P., Sass, J.H., Jacobson, R. and Anonymous, 1990. Thermal regime of the Valles Caldera. *Eos, Transactions, American Geophysical Union*, 71(43): 1684.
- Mori, J., Eberhart-Phillips, D. and Anonymous, 1992. Magma bodies inferred from 3-D velocity inversions at two large volcanoes; Mt. Pinatubo, Philippines and Rabaul Caldera, Papua New Guinea. *Eos, Transactions, American Geophysical Union*, 73(43, suppl.): 348.
- Mori, J. and McKee, C., 1987a. Outward-Dipping Ring-Fault Structure at {R}abaul Caldera as Shown by Earthquake Locations. *Science*, 235: 193-195.
- Mori, J. and McKee, C.O., 1987b. Outward-dipping ring-fault structure at Rabaul Caldera as shown by earthquake locations. *Science*, 235(4785): 193-195.
- Morrison, H.F., Goldstein, N.E., Wilt, M.J., Lee, K.H. and Turnross, J.L., 1983. Controlled-source electromagnetic soundings at the Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 64(45): 890.
- Mouginis-Mark, P.J. and Robinson, M.S., 1992. Evolution of the Olympus Mons Caldera, Mars. *Bulletin of Volcanology (Historical Archive)*, 54(5): 347-360.
- Mouginis-Mark, P.J. and Rowland, S.K., 2001. The geomorphology of planetary calderas. *Geomorphology*, 37(3-4): 201-223.
- Mueller, R.J., Johnston, M.J.S. and Anonymous, 1995. Magnetic field monitoring near active faults and volcanic calderas in California; 1974-1995. *Eos, Transactions, American Geophysical Union*, 76(46, Suppl.): 351.
- Mueller, R.J., Johnston, M.J.S., Keller, V. and Silverman, S., 1984. Magnetic field observations in the Long Valley Caldera of east-central California, 1976-1984. *Eos, Transactions, American Geophysical Union*, 65(45): 1117.

- Mueller, R.J., Johnston, M.J.S. and Langbein, J.O., 1991. Possible tectonomagnetic effect observed from mid-1989, to mid-1990, in Long Valley Caldera, California. *Geophysical Research Letters*, 18(4): 601-604.
- Mueller, R.J., Johnston, M.J.S., Langbein, J.O. and Anonymous, 1990. Possible tectonomagnetic effect observed from mid-1989, to mid-1990, in Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 71(43): 1467.
- Nairn, I.A., McKee, C.O., Talai, B. and Wood, C.P.U.-h.w.s.c.s.a.B.V.-V.F.-e.a.b.d.b.a.c., 1995. Geology and eruptive history of the Rabaul Caldera area, Papua New Guinea. *Journal of Volcanology and Geothermal Research*, 69(3-4): 255-284.
- Nairn, I.A., Wood, C.P. and Bailey, R.A., 1994. The Reporoa Caldera, Taupo Volcanic Zone: source of the Kaingaroa Ignimbrites. *Bulletin of Volcanology*, 56(6 - 7): 529-537.
- Nakada, S. and Fujii, T., 2000. Sequence and interpretation of caldera-forming event at Miyakejima Volcano, Japan. *EOS Transactions of the American Geophysical Union*, 81(1258).
- Nelson, P.H., Kibler, J.E. and Anonymous, 1994. Geophysical logs from Creede Caldera moat. *Abstracts with Programs - Geological Society of America*, 26(7): 401.
- Neumann, G., Slocum, W., Eysteinsson, H., Hermance, J.F. and Anonymous, 1982. The possibility of magmatic intrusion beneath the southwestern moat of Long Valley Caldera; a preliminary magnetotelluric survey. *Eos, Transactions, American Geophysical Union*, 63(45): 1133.
- Newhall, C.G. and Dzurisin, D., 1988. Historical unrest at large calderas of the world. *U. S. Geological Survey Bulletin*. U. S. Geological Survey, Reston, VA, United States, 1108 pp.
- Newhall, C.G., Self, S., Paull, C.K., Riddihough, R.P. and Johnson, S., 1980. Preliminary geological and geophysical studies on the Atitlan Caldera, Guatemala. *Eos, Transactions, American Geophysical Union*, 61(6): 69.
- Newman, A.V., Dixon, T.H. and Gourmelen, N., 2006. A four-dimensional viscoelastic deformation model for Long Valley Caldera, California, between 1995 and 2000. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 244-269.
- Newman, A.V., Dixon, T.H., Ofoegbu, G.I. and Dixon, J.E., 2001. Geodetic and seismic constraints on recent activity at Long Valley Caldera, California: evidence for viscoelastic rheology. *Journal of Volcanology and Geothermal Research*, 105(3): 183-206.
- Nishida, Y., 1984. Subsurface structure of Toya Caldera, Japan, as revealed by detailed magnetic survey. *Journal of Physics of the Earth*, 32(5): 423-434.
- Nixon, L.D., Sanders, C.O. and Anonymous, 1992. S-wave attenuation structure of Long Valley Caldera, using three-component S/P amplitude ratio data. *Eos, Transactions, American Geophysical Union*, 73(43, suppl.): 347.
- Norris, R.D., Hill, D.P. and Anonymous, 1997. Investigating the structure of earthquake sequences in the Long Valley Caldera, California, through precise relative location of hypocenters. *Eos, Transactions, American Geophysical Union*, 78(46, Suppl.): 444.

- Novak, S.W. and Mahood, G.A., 1986. Rise and fall of a basalt-trachyte-rhyolite magma system at the Kane Springs Wash Caldera, Nevada. Contributions to Mineralogy and Petrology (Historical Archive), 94(3): 352-373.
- Ogley, D.S., Eruptive history of the Pine Canyon Caldera, Big Bend Park.
- Ohtaka, A., 2001. Oligochaetes in Lake Towada, Japan, an oligotrophic caldera. *Hydrobiologia*, 463(1 - 3): 83-92.
- Olafsson, J., 1980. Temperature structure and water chemistry of the caldera Lake Oskjuvatn, Iceland. *Limnology and Oceanography*, 25(5): 779-788.
- Olsen, K.H. et al., 1982. Upper crustal structure beneath the Jemez Mountains and Valles Caldera, New Mexico; preliminary results of the 1981 seismic refraction experiments. *Eos, Transactions, American Geophysical Union*, 63(45): 1117.
- Ono, K., Watanabe, K., Komazawa, M., Watanabe, S. and Anonymous, 1992. The structure of Aso Caldera, western Japan, as inferred from gravity data. International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes, 29: 480.
- Orkild, P.P., Byers, F.M., Jr., Hoover, D.L. and Sargent, K.A., Subsurface geology of Silent Canyon Caldera, Nevada Test Site, Nevada.
- Orkild, P.P., Byers, F.M., Jr., Hoover, D.L. and Sargent, K.A., 1968. Subsurface geology of Silent Canyon Caldera, Nevada Test Site, Nevada. Memoir - Geological Society of America, 110: 77-86.
- Orsi, G. et al., 1999a. Short-term ground deformations and seismicity in the resurgent Campi Flegrei caldera (Italy): an example of active block-resurgence in a densely populated area. *Journal of Volcanology and Geothermal Research*, 91: 415-451.
- Orsi, G., D' Antonio, M., de Vita, S. and Gallo, G., 1992. The Neapolitan Yellow Tuff, a large-magnitude trachytic phreatoplinian eruption; eruptive dynamics, magma withdrawal and caldera collapse. *Journal of Volcanology and Geothermal Research*, 53(1-4): 275-287.
- Orsi, G., de Vita, S. and Di Vito, M., 1996. The restless, resurgent Campi Flegrei nested caldera (Italy): constraints on its evolution and configuration. *Journal of Volcanology and Geothermal Research*, 74: 179-214.
- Orsi, G., Di Vito, M.A. and Isaia, R., 2004a. Volcanic hazard assessment at the restless Campi Flegrei caldera. 66(6): 514-530.
- Orsi, G., Gallo, G. and Zanchi, A., 1991. Simple-shearing block resurgence in caldera depressions; a model from Pantelleria and Ischia. In: S.P. Verma (Editor), Calderas; genesis, structure and unrest. *Journal of Volcanology and Geothermal Research*. Elsevier, Amsterdam, Netherlands, pp. 1-11.
- Orsi, G., Patella, D., Piochi, M. and Tramacere, A., 1999b. Magnetic modeling of the Phlegraean Volcanic District with extension to the Ponza archipelago, Italy. *Journal of Volcanology and Geothermal Research*, 91(2-4): 345-360.
- Orsi, G., Petruzzuoli, S.M. and Wohletz, K., 1999c. Mechanical and thermo-fluid behaviour during unrest at the Campi Flegrei Caldera (Italy). *Journal of Volcanology and Geothermal Research*, 91(2-4): 453-470.
- Orsi, G., Vito, M.A.D. and Isaia, R., 2004b. Volcanic hazard assessment at the restless Campi Flegrei caldera. *Bulletin of Volcanology*, 66(6): 514-530.
- Ortiz, R., Arana, V., Astiz, M. and Garcia, A., 1986. Magnetotelluric study of the Teide (Tenerife) and Timanfaya (Lanzarote) volcanic areas. *Journal of Volcanology and Geothermal Research*, 30(3-4): 357-377.

- Owen, S.E. and Burgmann, R., 2006. An increment of volcano collapse: Kinematics of the 1975 Kalapana, Hawaii, earthquake. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 163-185.
- Owen, S.E., Mills, S., Higbee, P., Buergmann, R. and Anonymous, 1999. Seismicity and strain in the Sierra Nevada south of Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 80(46, Suppl.): 960.
- Palladino, D.M. and Simei, S., 2005. Eruptive dynamics and caldera collapse during the Onano eruption, Vulsini, Italy. *Bulletin of Volcanology*.
- Pallister, J.S., du Bray, E.A. and Anonymous, 1995. Internal structure of the 27 Ma Turkey Creek Caldera, Southeast Arizona, USA. *International Union of Geodesy and Geophysics, General Assembly*, 21, Week A: 438-439.
- Pallister, J.S., du Bray, E.A. and Dickinson, W.R., 1987. Ring dikes, resurgent intrusions, and ash-flow feeders, field constraints from a dissected caldera in SE Arizona. *Abstracts with Programs - Geological Society of America*, 19(7): 798.
- Panning, M., Dreger, D. and Tkalcic, H., 2001. Near-source velocity structure and isotropic moment tensors; a case study of the Long Valley Caldera. *Geophysical Research Letters*, 28(9): 1815-1818.
- Papale, P. and Rosi, M., 1993. A case of no-wind plinian fallout at Pululagua caldera (Ecuador): implications for models of clast dispersal. *Bulletin of Volcanology (Historical Archive)*, 55(7): 523-535.
- Pappalardo, L. et al., 1999. Chemical and Sr-isotopical evolution of the Phlegraean magmatic system before the Campanian Ignimbrite and the Neapolitan Yellow Tuff eruptions. *Journal of Volcanology and Geothermal Research*, 91(2-4): 141-166.
- Pappalardo, L. et al., 2002. Timing of magma extraction during the Campanian ignimbrite eruption (Campi Flegrei Caldera). *Journal of Volcanology and Geothermal Research*, 114(3-4): 479-497.
- Peppin, W.A., 1985. New evidence for magma bodies south of Long Valley Caldera, Mammoth Lakes, California. *Eos, Transactions, American Geophysical Union*, 66(46): 959.
- Peppin, W.A., Delaplain, T.W. and Lewis, J.S., 1989. Pre-S observations at station SLK, NW of Long Valley Caldera, California, and their relation to possible magma bodies. *Bulletin of the Seismological Society of America*, 79(6): 1894-1904.
- Petrazzuoli, S.M., Troise, C., Pingue, F. and De Natale, G., 1999. The mechanics of Campi Flegrei unrests as related to plastic behaviour of the caldera borders. *Annali di Geofisica*, 42(3): 529-544.
- Petrinovic, I.A., Riller, U. and Brod, A., 2005. The Negra Muerta volcanic complex, southern Central Andes: geochemical characteristics and magmatic evolution of an episodic volcanic centre. *Journal of Volcanology and Geothermal Research*, 140: 295-320.
- Pierce, H.A. and Hoover, D.B., 1987. Natural-source electrical results for Lake City Caldera, San Juan Mountains, Colorado. *Abstracts with Programs - Geological Society of America*, 19(5): 327.
- Pitkin, J.A. and Duval, J.S., Interpretation of aerial radiometric data for Lake City caldera.

- Poland, M. et al., 2006. Constraints on the mechanism of long-term, steady subsidence at Medicine Lake volcano, northern California, from GPS, leveling, and InSAR. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 55-78.
- Ponko, S.C. and Sanders, C.O., 1994. Inversion for P and S wave attenuation structure, Long Valley Caldera, California. *Journal of Geophysical Research, B, Solid Earth and Planets*, 99(2): 2619-2635.
- Poppe, L.J., Paull, C.K., Newhall, C.G., Bradbury, J.P. and Ziagos, J., 1985. A geophysical and geological study of Laguna de Ayarza, a Guatemalan caldera lake. *Journal of Volcanology and Geothermal Research*, 25(1-2): 125-144.
- Pous, J. et al., 2002. Magnetotelluric study of the Las Canadas caldera (Tenerife, Canary Islands): structural and hydrogeological implications. *Earth and Planetary Science Letters*, 204(1-2): 249-263.
- Prejean, S., Ellsworth, W., Zoback, M. and Waldhauser, F., 2002. Fault structure and kinematics of the Long Valley Caldera region, California, revealed by high-accuracy earthquake hypocenters and focal mechanism stress inversions. *Journal of Geophysical Research, B, Solid Earth and Planets*, 107: no.12, 19.
- Rast, N., Diggens, J.N. and Rast, D.E., 1968. Triassic rocks of the Isle of Mull; their sedimentation, facies, structure and relationship to the Great Glen Fault and the Mull Caldera [abstr., with discussion]. *Proceedings of the Geological Society of London*, 1645: 299-304.
- Reamer, S.K. and Ferguson, J.F., 1989. Regularized two-dimensional Fourier gravity inversion method with application to the Silent Canyon Caldera, Nevada. *Geophysics*, 54(4): 486-496.
- Reedman, A.J., Park, K.H., Branney, M.J. and Anonymous, 1992. Structure of the Late Cretaceous down-sag caldera at Geumseongsan, Republic of Korea; an illustration of the space problem in caldera collapse models. *International Geological Congress, Abstracts--Congres Geologique Internationale, Resumes*, 29: 485.
- Resendis, M.d.L., Martinez, M. and Romo, J.M., 1988. Three dimensional MT modelling of the Los Humeros Caldera in Mexico. *Abstracts - Workshop on Electromagnetic Induction in the Earth and Moon*, 9: 44.
- Resmini, R.G. and Marsh, B.D., 1995. Steady-state volcanism, paleoeffusion rates, and magma system volume inferred from plagioclase crystal size distributions in mafic lavas: Dome Mountain, Nevada. *Journal of Volcanology and Geothermal Research*, 68(4): 273-296.
- Reubi, O. and Nicholls, I.A., 2004. Variability in eruptive dynamics associated with caldera collapse: an example from two successive eruptions at Batur volcanic field, Bali, Indonesia. *Bulletin of Volcanology*, 66(2): 134-148.
- Rhodes, R.C. and Smith, E.I., 1973. Geology and Tectonic Setting of the Mule Creek Caldera, New Mexico, U.S.A. *Bulletin Volcanologique*, 36(3): 401-411.
- Riller, U. et al., 2001. Late Cenozoic tectonism, caldera and plateau formation in the central Andes. *Earth and Planetary Science Letters* 188: 299-311.
- Roberts, C.W. and Jachens, R.C., 1984. Gravity evidence for prior igneous intrusion beneath the south moat of Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 65(45): 1117.
- Roberts, P. et al., 1994. Teleseismic spectral amplitude variations observed in the Valles Caldera, New Mexico, during the 1994 passive JTEX deployment. *Eos, Transactions, American Geophysical Union*, 75(44, Suppl.): 484.

- Roberts, P.M., Aki, K., Fehler, M. and Anonymous, 1987. A study of the 2-D seismic structure of the Valles Caldera, New Mexico using discrete wavenumber modeling of observed teleseismic P-waves. *Eos, Transactions, American Geophysical Union*, 68(44): 1347.
- Roberts, P.M., Aki, K. and Fehler, M.C., 1991. A low-velocity zone in the basement beneath the Valles Caldera, New Mexico. *Journal of Geophysical Research, B, Solid Earth and Planets*, 96(13): 21,583-21,596.
- Roberts, P.M., Aki, K. and Fehler, M.C., 1995. A shallow attenuating anomaly inside the ring fracture of the Valles Caldera, New Mexico. *Journal of Volcanology and Geothermal Research*, 67(1-3): 79-99.
- Robin, C., Eissen, J.-P. and Monzier, M., 1993. Giant tuff cone and 12-km-wide associated caldera at Ambrym Volcano (Vanuatu, New Hebrides Arc). *Journal of Volcanology and Geothermal Research*, 55(3-4): 225-238.
- Robin, C., Monzier, M. and Eissen, J.-P., 1994. Formation of the mid-fifteenth century Kuwae caldera (Vanuatu) by an initial hydroclastic and subsequent ignimbritic eruption. *Bulletin of Volcanology (Historical Archive)*, 56(3): 170-183.
- Robin, C. and Pradal, E., 1993. The Los Azufres Caldera, Mexico; comment on the paper by L. Ferrari, V. H. Garduno, G. Pasquare and A. Tibaldi, or: An attempt to understand the volcanic structure. *Journal of Volcanology and Geothermal Research*, 56(3): 339-344.
- Roche, O., Druitt, T.H. and Merle, O., 2000. Experimental study of caldera formation. *Journal of Geophysical Research B: Solid Earth*, 105(1): 395-416.
- Roche, O. and Druitt, T.H.U.-h.w.s.c.s.a.B.V.-Y.W.-f.f.f.f.f.c., 2001. Onset of caldera collapse during ignimbrite eruptions. *Earth and Planetary Science Letters*, 191(3-4): 191-202.
- Rolandì, G., Bellucci, F. and Cortini, M., 2004. A new model for the formation of the Somma Caldera. *Mineralogy and Petrology*, 80(1 - 2): 27-44.
- Romero, A.E. et al., 1993a. Analysis of VSP data from the DOE exploratory well (LVF 51-20) at Long Valley Caldera, eastern California. *Eos, Transactions, American Geophysical Union*, 74(43, Suppl.): 409.
- Romero, A.E., Jr., McEvilly, T.V., Majer, E.L. and Michelini, A., 1993b. Velocity structure of the Long Valley Caldera from the inversion of local earthquake P and S travel times. *Journal of Geophysical Research, B, Solid Earth and Planets*, 98(11): 19,869-19,879.
- Roobol, M.J. and White, D.L., 1985. Cauldron-subsidence structures and calderas above Arabian felsic plutons; a preliminary survey. *Journal of African Earth Sciences*, 4: 123-134.
- Rosi, M., Sbrana, A. and Principe, C., 1983. The Phlegraean Fields; structural evolution, volcanic history and eruptive mechanisms. *Journal of Volcanology and Geothermal Research*, 17(1-4): 273-288.
- Rosi, M., Vezzoli, L., Aleotti, P. and Censi, M., 1996a. Interaction between caldera collapse and eruptive dynamics during the Campanian Ignimbrite eruption, Phlegraean Fields, Italy. *Bulletin of Volcanology (Historical Archive)*, 57(7): 541-554.
- Rosi, M., Vezzoli, L., Aleotti, P. and De Censi, M., 1996b. Interaction between caldera collapse and eruptive dynamics during the Campanian Ignimbrite eruption, Phlegraean Fields, Italy. *Bulletin of Volcanology*, 57(7): 541-554.

- Rowland, S.K. and Munro, D.C., 1992a. The caldera of Volcan Fernandina: a remote sensing study of its structure and recent activity. *Bulletin of Volcanology* (Historical Archive), 55(1 - 2): 97-109.
- Rowland, S.K. and Munro, D.C., 1992b. The caldera of Volcan Fernandina; a remote sensing study of its structure and recent activity. *Bulletin of Volcanology*, 55(1-2): 97-109.
- Rundle, J.B. and Hill, D.P., 1988. The Geophysics of a Restless Caldera Long Valley, California. *Annual Review of Earth and Planetary Sciences*, 16: 251-271.
- Rustamov, M.I., 1976. Calderas with confocal granitoid intrusions, a new morphogenetic type of structure created by igneous activity in the Lesser Caucasus. *Transactions (Doklady) of the U.S.S.R. Academy of Sciences: Earth Science Sections*, 228(1-6): 90-92.
- Ryan, M.P., 1987. Elasticity and contractancy of hawaiian olivine tholeiite and its role in the stability and structural evolution of subcaldera magma reservoirs and rift systems. *Volcanism in Hawaii*, 2(Chapter 52): 1395-1447.
- Rytuba, J.J., 1977. Uranium content of tuffaceous sediments and opalite mercury deposits within the McDermitt Caldera, Oregon-Nevada. *Abstracts with Programs - Geological Society of America*, 9(4): 492.
- Rytuba, J.J., 1994. Evolution of Volcanic and Tectonic Features in Caldera Settings and Their Importance in the Localization of Ore Deposits. *Economic Geology*, 89: 1687-1696.
- Rytuba, J.J. et al., 1990. Mineralized and unmineralized calderas in Spain; Part II, evolution of the Rodalquilar caldera complex and associated gold-alunite deposits. *Mineralium Deposita* (Historical Archive), 25(1): S29-S35.
- Sachpazi, M. et al., 2002. Seismological and SAR signature of unrest at Nisyros caldera, Greece. *Journal of Volcanology and Geothermal Research*, 116(1-2): 19-33.
- Sacks, I.S., Linde, A.T. and Anonymous, 2000. Deep geophysical observatory in Long Valley Caldera; strain measurements. *Eos, Transactions, American Geophysical Union*, 81(48, Suppl.): 1385.
- Sakamoto, I., Fujiwara, T., Murakami, F., Ishida, M. and Anonymous, 1999. Topographical and geological characters of submarine caldera located between Hachijojima Is. and Aogashima Is., Izu-Ogasawara Arc. *International Union of Geodesy and Geophysics General Assembly = Union Geodesique et Geophysique Internationale Comptes Rendus de la ...Assemblee Generale*, 99, Week B: 102.
- Sanders, C.O., 1993. Reanalysis of S-to-P amplitude ratios for gross attenuation structure, Long Valley Caldera, California. *Journal of Geophysical Research*, B, Solid Earth and Planets, 98(12): 22,069-22,079.
- Sanders, C.O. and Nixon, L.D., 1995. S wave attenuation in Long Valley Caldera, California, from three-component S-to-P amplitude ratio data. *Journal of Geophysical Research*, B, Solid Earth and Planets, 100(7): 12,395-12,404.
- Sanders, C.O., Ponko, S.C., Nixon, L.D. and Schwartz, E.A., 1995. Seismological evidence for magmatic and hydrothermal structure in Long Valley Caldera from local earthquake attenuation and velocity tomography. *Journal of Geophysical Research*, B, Solid Earth and Planets, 100(5): 8311-8326.
- Sanders, C.O., Ponko, S.C., Nixon, L.D., Schwartz, E.A. and Anonymous, 1994. Local earthquake attenuation and velocity tomography for magmatic and hydrothermal structure in Long Valley Caldera, California. *Seismological Research Letters*, 65(1): 56.

- Saunders, S.J., 2001. The shallow plumbing system of Rabaul caldera: a partially intruded ring fault? *Bulletin of Volcanology*, 63: 406-420.
- Saunders, S.J., 2004a. The possible contribution of circumferential fault intrusion to caldera resurgence. *Bulletin of Volcanology*, 67(1): 57-71.
- Saunders, S.J., 2004b. The possible contribution of circumferential fault intrusion to caldera resurgence. *Bulletin of Volcanology*, in press: doi: 10.1007/s00445-004-036-z.
- Savage, J.C., 1985. Deformation of Long Valley Caldera, California, 1982-1985. *Eos, Transactions, American Geophysical Union*, 66(46): 852.
- Sawyer, D.A. and Lipman, P.W., 1987. Structure of the Bachelor Caldera, Creede, CO. *Abstracts with Programs - Geological Society of America*, 19(5): 331.
- Scandone, R., 1996. Factors controlling the temporal evolution of explosive eruptions. *Journal of Volcanology and Geothermal Research*, 72(1-2): 71-83.
- Schnegg, P.-A., 1997. Electrical structure of Plaine des Sables Caldera, Piton de la Fournaise Volcano (Reunion Island). *Annali di Geofisica*, 40(2): 305-317.
- Schuetze, C. et al., 2000. Resistivity imaging of Long Valley Caldera; first results from a DC-geoelectrical deep sounding experiment 2000. *Eos, Transactions, American Geophysical Union*, 81(48, Suppl.): 1385.
- Schweickert, R.A. and Lahren, M.M., 1999. Triassic caldera at Tioga Pass, Yosemite National Park, California; structural relationships and significance. *Geological Society of America Bulletin*, 111(11): 1714-1722.
- Seager, W.R. and Brown, L.F., The Organ Caldera.
- Self, S. et al., 1986. Explosive rhyolitic volcanism in the Jemez Mountains; vent locations, caldera development and relation to regional structure. *JGR. Journal of Geophysical Research. B*, 91(2): 1779-1798.
- Senterfit, R.M. and Klein, D.P., Audio-magneto-telluric investigation at Turkey Creek Caldera, Chiricahua Mountains, southeastern Arizona.
- Senterfit, R.M., Klein, D.P. and Thorman, C.H., Audio-magnetotelluric investigation at Turkey Creek Caldera, Chiricahua Mountains, southeastern Arizona.
- Sides, J.R. and Miller, B.C., 1979. The occurrence of calderas in the volcanic roof of the St. Francois Mountains batholith of southeastern Missouri. *Abstracts with Programs - Geological Society of America*, 11(2): 166.
- Sieh, K. and Bursik, M.I., 1986. Most recent eruption of the Mono Craters, eastern Central California. *Journal of Geophysical Research, B, Solid Earth and Planets*, 91(12): 12,539-12,571.
- Sigvaldason, G.m.E., 2002a. Volcanic and tectonic processes coinciding with glaciation and crustal rebound: an early Holocene rhyolitic eruption in the Dyngjufjöll volcanic centre and the formation of the Askja caldera, north Iceland. *Bulletin of Volcanology*, 64(3 - 4): 192-205.
- Sigvaldason, G.m.E., 2002b. Volcanic and tectonic processes coinciding with glaciation and crustal rebound: an early Holocene rhyolitic eruption in the Dyngjufjöll volcanic centre and the formation of the Askja caldera, North Iceland. *Bulletin of Volcanology*, DOI 10.1007/s00445-002-0204-7.
- Simkin, T. and Krueger, A.F., Skylab 4 observations of volcanoes; Part B, Summit eruption of Fernandina Caldera, Galapagos Islands, Ecuador.
- Simons, M. et al., 1999. Analysis of geodetic measurements of crustal deformation at Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 80(46, Suppl.): 1194.

- Simons, M. et al., 2000. Analysis of geodetic measurements of crustal deformation at Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 81(48, Suppl.): 1322.
- Slocum, W., Neumann, G.A., Hermance, J.F. and Anonymous, 1983. Conductivity anomalies within Long Valley Caldera and the Southwest Moat. *Eos, Transactions, American Geophysical Union*, 64(45): 693.
- Slokan, C.K., Andersen, H.T., Berkman, F. and Keller, G.Y., 1986. Geophysical studies at the Creede Caldera, Colorado, USA. *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, 46: 193.
- Smith, N., Cassidy, J., Locke, C.A., Mauk, J.L. and Christie, A.B., 2006. The role of regional-scale faults in controlling a trapdoor caldera, Coromandel Peninsula, New Zealand. *Journal of Volcanology and Geothermal Research*, 149(3-4): 312-328.
- Smith, R.B., Shuey, R.T., Friedline, R.A., Otis, R.M. and Alley, L.B., 1974. Seismic and magnetic evidence for the Yellowstone Caldera, an apex of intraplate deformation? *Abstracts with Programs - Geological Society of America*, 6(3): 256.
- Snyder, D.B., 1983. Proposed caldera structures in central Nevada inferred from gravity lows. *Abstracts with Programs - Geological Society of America*, 15(5): 383.
- Soengkono, S., Magnetic indication of buried andesite beneath the Reporoa Caldera, Taupo volcanic zone.
- Soengkono, S., 1995. A magnetic model for deep plutonic bodies beneath the central Taupo Volcanic Zone, North Island, New Zealand. *Journal of Volcanology and Geothermal Research*, 68(1-3): 193-207.
- Sorey, M.L. and Anonymous, 1999. Constraints on deep fluid circulation in Long Valley Caldera. *Eos, Transactions, American Geophysical Union*, 80(46, Suppl.): 1162.
- Sorey, M.L. and Farrar, C.D., 1982. Monitoring hot springs and shallow groundwater in the Long Valley Caldera, California. *Earthquake Notes*, 54(1): 77.
- Sorey, M.L. and Lewis, R.E., 1976. Convective heat flow from hot springs in the Long Valley Caldera, Mono County, California. *Journal of Geophysical Research*, 81(5): 785-791.
- Sorey, M.L., Suemnicht, G.A., Sturchio, N.C. and Nordquist, G.A., 1991. New evidence on the hydrothermal system in Long Valley Caldera, California, from wells, fluid sampling, electrical geophysics, and age determinations of hot-spring deposits. *Journal of Volcanology and Geothermal Research*, 48(3-4): 229-263.
- Soriano, C. et al., 2000. Rheomorphism of welded rocks from the Las Canadas Caldera (Tenerife, Canary Islands). *Journal of Volcanology and Geothermal Research*, in press.
- Sparks, R.S.J., Huppert, H.E. and Wilson, C.J.N., 1990. Comment on "Evidence for long residence times of rhyolitic magma in the Long Valley magmatic system: the isotopic record in precaldera lavas of Glass Mountain" by A.N. Halliday, G.A. Mahood, P. Holden, J.M. Metz, T.J. Dempster and J. P. Davidson. *Earth and Planetary Science Letters*, 99: 387-389.
- Spinks, K., Acocella, V., Cole, J. and Bassett, K., 2005. Structural control of volcanism and caldera development in the transtensional Taupo Volcanic Zone, New Zealand. *Journal of Volcanology and Geothermal Research*, 144: 7-22.

- Stachel, T., Lorenz, V. and Brey, G., 1995. Carbonatite magmatism and fenitization of the epiclastic caldera-fill at Gross Brukkaros (Namibia). *Bulletin of Volcanology (Historical Archive)*, 57(3): 185-196.
- Stachel, T., Lorenz, V. and Stanistreet, I.G., 1994. Gross Brukkaros (Namibia) - an enigmatic crater-fill reinterpreted as due to Cretaceous caldera evolution. *Bulletin of Volcanology*, 56(5): 386-397.
- Stauber, D.A., Iyer, H.M., Mooney, W.D. and Dawson, P.B., 1985. Three-dimensional P-velocity structure of the summit caldera of Newberry Volcano, Oregon. *Transactions - Geothermal Resources Council*, 9, Part 2: 411-415.
- Steck, L. et al., 1996a. Crust and upper mantle velocity structure at Valles Caldera, New Mexico from 3-D teleseismic tomography. *Eos, Transactions, American Geophysical Union*, 77(46, Suppl.): 466.
- Steck, L. et al., 1994. The 1994 JTEX passive seismic experiment in Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 75(44, Suppl.): 484.
- Steck, L. et al., 1995a. Comparison of crustal structure beneath Valles Caldera, New Mexico and Long Valley Caldera, California. *International Union of Geodesy and Geophysics, General Assembly*, 21, Week A: 452-453.
- Steck, L. et al., 1995b. Crust and upper mantle velocity structure at Valles Caldera, New Mexico from 3-D teleseismic tomography. *Eos, Transactions, American Geophysical Union*, 76(46, Suppl.): 351.
- Steck, L., Prothero, W.A., Jr. and Anonymous, 1988. Array analysis of teleseismic P and P-S converted waves at Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 69(44): 1324-1325.
- Steck, L.K., 1995. Simulated annealing inversion of teleseismic P-wave slowness and azimuth for crustal velocity structure at Long Valley Caldera. *Geophysical Research Letters*, 22(4): 497-500.
- Steck, L.K. and Anonymous, 1992. Simulated annealing inversion of arrival vector data for crustal structure beneath Long Valley Caldera, California. *Seismological Research Letters*, 63(1): 56.
- Steck, L.K. et al., 1996b. Crust and upper mantle structure at Valles Caldera, New Mexico from 3-D teleseismic tomography. *Abstracts with Programs - Geological Society of America*, 28(7): 378-379.
- Steck, L.K. and Prothero, W.A., Jr., 1994. Crustal structure beneath Long Valley caldera from modeling of teleseismic P wave polarizations and Ps converted waves. *Journal of Geophysical Research, B, Solid Earth and Planets*, 99(4): 6881-6898.
- Steck, L.K., Prothero, W.A., Jr. and Anonymous, 1990. Possible models of Long Valley Caldera from 3-D raytracing of teleseismic waves. *Eos, Transactions, American Geophysical Union*, 71(28): 961.
- Steck, L.K., Prothero, W.A., Jr., Wong, I.G. and Sullivan, R., 1991. Crustal velocity structure beneath Long Valley Caldera from array analysis and 3-dimensional raytracing of teleseismic P-waves. *Seismological Research Letters*, 62(1): 31.
- Steck, L.K. et al., 1998. Crust and upper mantle P wave velocity structure beneath Valles Caldera, New Mexico; results from the Jemez teleseismic tomography experiment. *Journal of Geophysical Research, B, Solid Earth and Planets*, 103(10): 24,301-24,320.
- Stix, J. and Gorton, M.P., 1990. Changes in silicic melt structure between the two Bandelier caldera-forming eruptions, New Mexico, USA; evidence from

- zirconium and light rare earth elements. *Journal of Petrology*, 31(6): 1261-1283.
- Stix, J., Gorton, M.P. and Anonymous, 1990. Disruption of silicic melt structure between the two Bandelier caldera-forming eruptions, New Mexico, USA. *Bulletin - New Mexico Bureau of Mines & Mineral Resources*, 131: 256.
- Streck, M.J. and Grunder, A.L., 1997. Compositional Gradients and Gaps in High-silica Rhyolites of the Rattlesnake Tuff, Oregon. *Journal of Petrology*, 38(1): 133-163.
- Sturtevant, B., Kanamori, H. and Brodsky, E.E., 1996. Seismic triggering by rectified diffusion in geothermal systems. *Journal of Geophysical Research-Solid Earth*, 101(B11): 25269-25282.
- Sudo, Y., 1991a. An attenuating structure beneath the Aso Caldera determined from the propagation of seismic waves. *Bulletin of Volcanology*, 53(2): 99-111.
- Sudo, Y., 1991b. An attenuating structure beneath the Aso Caldera determined from the propagation of seismic waves. *Bulletin of Volcanology (Historical Archive)*, 53(2): 99-111.
- Suemnicht, G.A., Varga, R.J. and Anonymous, 1988. Basement structure and implications for hydrothermal circulation patterns in the western moat of Long Valley Caldera, California. *Journal of Geophysical Research, B, Solid Earth and Planets*, 93(11): 13,191-13,207.
- Suzuki-Kamata, K. and Kamata, H., 1990. The proximal facies of the Totsu pyroclastic-flow deposit erupted from Aso caldera, Japan. *Bulletin of Volcanology (Historical Archive)*, 52(5): 325-333.
- Swanberg, C.A., 1983. Heat flow at the Valles Caldera, New Mexico. Abstracts with Programs - Geological Society of America, 15(5): 381.
- Swanberg, C.A., Li, T.M.C. and Lacy, R.G., 1982. Wave number filtering of thermal data from the Valles Caldera, New Mexico. *Transactions - Geothermal Resources Council*, 6: 181-184.
- Tait, S., Jaupart, C. and Vergniolle, S., 1989. Pressure, gas content and eruption periodicity of a shallow, crystallising magma chamber. *Earth and Planetary Science Letters*, 92(1): 107-123.
- Tárraga, M., Carniel, R., Ortiz, R., Marrero, V. and García, A., 2006. On the predictability of volcano-tectonic events by low frequency seismic noise analysis at Teide-Pico Viejo volcanic complex, Canary Islands. *Natural Hazards and Earth System Sciences*, 6: 365-376.
- Thatcher, W. and Massonnet, D., 1997. Crustal deformation of Long Valley Caldera, eastern California, 1992-1996, inferred from satellite radar interferometry. *Geophysical Research Letters*, 24(20): 2519-2522.
- Thorarinsson, S., 1965. Changes of the water-firn level in the grimsvotn caldera 1954-1965. *Joekull*, 15: 109-119.
- Thurber, C. et al., 1993. The 1993 JTEX passive array experiment in Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 74(43, Suppl.): 425.
- Tiampo, K.F., Rundle, J.B., Fernandez, J. and Langbein, J.O., 2000. Spherical and ellipsoidal volcanic sources at Long Valley caldera, California, using a genetic algorithm inversion technique. *Journal of Volcanology and Geothermal Research*, 102(3-4): 189-206.
- Tibaldi, A. and Vezzoli, L., 1998. The space problem of caldera resurgence: an example from Ischia Island, Italy. *Geologische Rundschau*, 87(1): 53-66.

- Tibaldi, A. and Vezzoli, L., 2000. Late Quaternary monoclinal folding induced by caldera resurgence at Ischia, Italy. Geological Society Special Publications, 169: 103-113.
- Todesco, M., 2005. Modeling hydrothermal fluid circulation and gravity signals at the Phlegraean Fields caldera. Earth and planetary science letters, 240(2): 328-338.
- Tomczyk, T. and Morgan, P., 1987. Evaluation of the thermal regime of the Valles Caldera, New Mexico, U.S.A., by downward continuation of temperature data. Tectonophysics, 134(4): 339-345.
- Tralli, D.M. et al., 1987. Assessment of network parameters critical for establishing consistent GPS-based geodetic measurements at Long Valley Caldera, California. International Union of Geodesy and Geophysics, General Assembly, 19, Vol. 1: 20.
- Trasatti, E., Giunchi, C. and Bonafede, M., 2005. Structural and rheological constraints on source depth and overpressure estimates at the Campi Flegrei caldera, Italy. Journal of Volcanology and Geothermal Research, 144(1-4): 105-118.
- Troise, C. et al., 2001. A 2D mechanical-thermalfluid-dynamical model for geothermal systems at calderas: an application to Campi Flegrei, Italy. Journal of Volcanology and Geothermal Research, 109(1-3): 1-12.
- Troll, V.R., Emeleus, C.H. and Donaldson, C.H., 2000. Caldera formation in the Rum Central Igneous Complex, Scotland. Bulletin of Volcanology, 62(4 - 5): 301-317.
- Troll, V.R., Walter, T.R. and Schmincke, H.-U., 2002. Cyclic caldera collapse; piston or piecemeal subsidence? Field and experimental evidence. Geology, 30(2): 135-138.
- Tryggvason, A., Benz, H.M., Rognvaldsson, S.T. and Anonymous, 1998. Seismic travel time tomography studies of two volcanoes, the Long Valley Caldera, California, and the Hengill Volcano, Iceland. Annales Geophysicae (1988), 16, Suppl. 1: 174.
- Tsipursky, S.J., Eberl, D.D., Buseck, P.R. and Anonymous, 1992. Unusual tops (bottoms?) of particles of 1M illite from the Silverton Caldera (CO). Agronomy Abstracts, 84: 381-382.
- Turbeville, B.N., 1992a. Relationships between chamber margin accumulates and pore liquids: evidence from arrested in situ processes in ejecta, Latera caldera, Italy. Contributions to Mineralogy and Petrology (Historical Archive), 110(4): 429-441.
- Turbeville, B.N., 1992b. $^{40}\text{Ar}/^{39}\text{Ar}$ Ages and stratigraphy of the Latera caldera, Italy. Bulletin of Volcanology (Historical Archive), 55(1 - 2): 110-118.
- Ukawa, M. et al., Long-term geodetic measurements of large scale deformation at Iwo-jima caldera, Japan. Journal of Volcanology and Geothermal Research, In Press, Corrected Proof.
- Ukawa, M. et al., 2006. Long-term geodetic measurements of large scale deformation at Iwo-jima caldera, Japan. Journal of Volcanology and Geothermal Research The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 98-118.
- Ulusoy, I. et al., 2004. Volcanic and deformation history of the Bodrum resurgent caldera system (southwestern Turkey). Journal of Volcanology and Geothermal Research, 136(1-2): 71-96.

- Urban, T.C. and Diment, W.H., 1984. Precision temperature measurements in a deep geothermal well in the Long Valley Caldera, Mono County, California. *Eos, Transactions, American Geophysical Union*, 65(45): 1084-1085.
- Urban, T.C., Diment, W.H. and Anonymous, 1988a. Precision temperature log in the hottest well in the Long Valley Caldera, California; implications as to hydrothermal conditions and fluid exchange along the well. *Abstracts with Programs - Geological Society of America*, 20(7): 92.
- Urban, T.C., Diment, W.H., Moses, T.H. and Anonymous, 1988b. Heat transport mechanisms in the west moat of the Long Valley Caldera, California, as revealed by precision temperature logs in PLV-1 repeated over a 3-yr interval. *Eos, Transactions, American Geophysical Union*, 69(44): 1187.
- Urban, T.C., Diment, W.H., Sorey, M.L. and Elliot, L.T., 1987. Hydrothermal regime of the southwest moat of the Long Valley Caldera, Mono County, California and its relation to seismicity; new evidence from the Shady Rest borehole (RD08). *Transactions - Geothermal Resources Council*, 11: 391-400.
- Valentino, G.M. and Stanzione, D., 2004. Geochemical monitoring of the thermal waters of the Phlegraean Fields. *Journal of Volcanology and Geothermal Research*, 133(1-4): 261-289.
- Van Heeswijk, M., Bibee, L.D. and Anonymous, 1986. Shallow crustal structure of the caldera of Axial Seamount, Juan de Fuca Ridge. *Eos, Transactions, American Geophysical Union*, 67(44): 1230.
- Vanorio, T., Virieux, J., Capuano, P. and Russo, G., 2005. Three-dimensional seismic tomography from P wave and S wave microearthquake travel times and rock physics characterization of the Campi Flegrei Caldera. *Journal of Geophysical Research*, 110(B03201): doi:10.1029/2004JB003102.
- Vanorio, T., Virieux, J., Zollo, A., Capuano, P. and Russo, G., 2004. Combining Study on 3-D Seismic Tomography from P- and S- Microearthquakes Traveltimes and Rock Physics Properties Characterization in the Campi Flegrei Caldera. *Geophysical Research Abstracts*, 6: EGU04-A-02729.
- Vazquez, J.A. and Reid, M.R., 2002a. Time scales of magma storage and differentiation of voluminous high-silica rhyolites at Yellowstone caldera, Wyoming. *Contributions to Mineralogy and Petrology*, 144: 274-285.
- Vazquez, J.A. and Reid, M.R., 2002b. Time scales of magma storage and differentiation of voluminous high-silica rhyolites at Yellowstone caldera, Wyoming. *Contributions to Mineralogy and Petrology*, 144(3): 274-285.
- Veilleux, A.M., Keller, G.R., Doser, D.I. and Anonymous, 2002. Implementation of a new approach to gravity terrain correction employing digital image processing of Landsat 7 data for the Valles Caldera area in northern New Mexico. *Abstracts with Programs - Geological Society of America*, 34(3): 3.
- Ventura, G., Vilardo, G. and Bruno, P.P., 2004. Comment on "A new model for the formation of the Somma Caldera" (2004) by G. Rolandi, F. Bellucci, and M. Cortini. *Mineralogy and Petrology*, 82(1 - 2): 157-158.
- Verma, S.P., 2001. Geochemical evidence for a lithospheric source for magmas from Acoculco Caldera, eastern Mexican volcanic belt. *International Geology Review*, 43(1): 31-51.
- Vieira, R., Del Toro, C. and Arana, V., 1986a. Microgravimetric survey in the caldera of Teide, Tenerife, Canary Islands. *Tectonophysics*, 130: 249-257.
- Vieira, R., Toro, C. and Arana, V., 1986b. Microgravimetric survey in the Caldera of Teide, Tenerife, Canary Islands. *Tectonophysics*, 130(1-4): 249-257.
- Villari, L., 1974. The Island of Pantelleria. *Bulletin of Volcanology*, 38: 680-724.

- Wallmann, P.C., Mahood, G.A. and Pollard, D.D., 1988. Mechanical models for correlation of ring-fracture eruptions at Pantelleria, Strait of Sicily, with glacial sea level drawdown. *Bulletin of Volcanology*, 50(5): 327-339.
- Walter, T.R. and Troll, V.R., 2001. Formation of caldera periphery faults: an experimental study. *Bulletin of Volcanology*, 63(2/3): 191-203.
- Wannamaker, P.E., 1997a. Tensor CSAMT survey over the Sulphur Springs thermal area, Valles Caldera, New Mexico, U.S.A.; Part 1, Implications for structure of the western caldera. *Geophysics*, 62(2): 451-465.
- Wannamaker, P.E., 1997b. Tensor CSAMT survey over the Sulphur Springs thermal area, Valles Caldera, New Mexico, U.S.A.; Part II, Implications for CSAMT methodology. *Geophysics*, 62(2): 466-476.
- Wannamaker, P.E. and Anonymous, 1996. Tensor CSAMT survey over the Sulphur Springs thermal area, Valles Caldera, New Mexico, U.S.A. *SEG Annual Meeting Expanded Technical Program Abstracts with Biographies*, 66: 273-276.
- Wannamaker, P.E., Wright, P.M., Zhou, Z.-x., Li, X.-b. and Zhao, J.-x., 1991. Magnetotelluric transect of Long Valley Caldera; resistivity cross-section, structural implications, and the limits of a 2-D analysis. *Geophysics*, 56(7): 926-940.
- Watanabe, K. and Katsui, Y., 1976. Pseudo-pillow lavas in the Aso Caldera, Kyushu, Japan. *Ganseki Kobutsu Kosho Gakkai-Shi* = Journal of the Japanese Association of Mineralogists, Petrologists and Economic Geologists, 71(2): 44-49.
- Waythomas, C.F. and Neal, C.A., 1998. Tsunami generation by pyroclastic flow during the 3500-year B.P. caldera-forming eruption of Aniakchak Volcano, Alaska. *Bulletin of Volcanology*, 60(2): 110-124.
- Weaver, S.D., Gibson, I.L., Houghton, B.F. and Wilson, C.J.N., 1990. Mobility of rare earth and other elements during crystallization of peralkaline silicic lavas. *Journal of Volcanology and Geothermal Research*, 43(1-4): 57-70.
- Weiland, C.M., Steck, L.K., Dawson, P.B. and Korneev, V.A., 1995. Nonlinear teleseismic tomography at Long Valley Caldera, using three-dimensional minimum travel time ray tracing. *Journal of Geophysical Research, B, Solid Earth and Planets*, 100(10): 20,379-20,390.
- Weilandt, C., Steck, L.K., Dawson, P. and Anonymous, 1992. Non-linear inversion of teleseismic traveltimes data for velocity structure beneath Long Valley Caldera, California. *Seismological Research Letters*, 63(1): 56.
- Whetten, J., Goff, F., Heiken, G., Gardner, J. and Riecker, R.E., 1983. Valles Caldera, New Mexico; a target for the Continental Scientific Drilling Program. *Abstracts with Programs - Geological Society of America*, 15(5): 434.
- Williams-Jones, G. and Rymer, H., 2002. Detecting volcanic eruption precursors: a new method using gravity and deformation measurements. *Journal of Volcanology and Geothermal Research*, 113(3-4): 379-389.
- Williams-Jones, G., Rymer, H. and Rothery, D., 2001. Gravity changes and passive degassing at the Masaya caldera complex, Nicaragua. *Journal of Volcanology and Geothermal Research*, submitted.
- Williams, D.L. and Abrams, G.A., 1987. Preliminary results of gravity and aeromagnetic studies in the central San Juan caldera complex, Colorado. *Abstracts with Programs - Geological Society of America*, 19(5): 342.

- Williams, D.L., Berkman, F. and Mankinen, E.A., 1977. Implications of a magnetic model of the Long Valley Caldera, California. *Journal of Geophysical Research*, 82(20): 3030-3038.
- Williams, S.N., Hudnut, K.W., Lawrence, E.A. and Lytle, J.N., 1983. Soil Hg degrees distribution patterns and response to magmatic resurgence at Long Valley Caldera, California. *Eos, Transactions, American Geophysical Union*, 64(45): 891.
- Willis, J.J., Hansen, V.L. and Anonymous, 1996. Strain relations and geophysical modeling of an unnamed caldera, Isabella Crater, Venus. *Abstracts with Programs - Geological Society of America*, 28(7): 126.
- Wilson, C.J.N., 2001. The 26.5 ka Oruanui eruption, New Zealand: an introduction and overview. *Journal of Volcanology and Geothermal Research*, 112(1-4): 133-174.
- Wilson, C.J.N. et al., 1995a. Volcanic and structural evolution of Taupo volcanic zone, New Zealand; a review. *Journal of Volcanology and Geothermal Research*, 68(1-3): 1-28.
- Wilson, C.J.N. et al., 1995b. Volcanic and structural evolution of Taupo volcanic zone, New Zealand; a review. In: S.F. Simmons and S.D. Weaver (Editors), *Taupo volcanic zone, New Zealand*. *Journal of Volcanology and Geothermal Research*. Elsevier, Amsterdam, Netherlands, pp. 1-28.
- Wilt, M. and Vonder Haar, S., 1986. A geological and geophysical appraisal of the Baca geothermal field, Valles Caldera, New Mexico. *Journal of Volcanology and Geothermal Research*, 27(3-4): 349-370.
- Wohletz, K., Civetta, L. and Orsi, G., 1999. Thermal evolution of the Phleorean magmatic system. *Journal of Volcanology and Geothermal Research*, 91(2-4): 381-414.
- Wohletz, K., Orsi, G. and de, V.S., 1995. Eruptive mechanisms of the Neapolitan Yellow Tuff interpreted from stratigraphic, chemical, and granulometric data. *Journal of Volcanology and Geothermal Research*, 67(4): 263-290.
- Wollenberg, H.A., Flexser, S., Smith, A.R. and Anonymous, 1985. Investigation of radiometric anomalies in the VC-1 Hole, Valles Caldera, New Mexico. *Eos, Transactions, American Geophysical Union*, 66(46): 1081.
- Wollenberg, H.A., Smith, A.R., Mosier, D.F., Flexser, S. and Clark, M., 1984. Radon-222 in groundwater of the Long Valley caldera, California. *Pure and Applied Geophysics (Historical Archive)*, 122(2 - 4): 327-339.
- Wollenberg, H.A. et al., 1987. A core hole in the southwestern moat of the Long Valley Caldera; early results. *Eos, Transactions, American Geophysical Union*, 68(20): 529.
- Wood, S.H., 1983. Chronology of late Pleistocene and Holocene Volcanics, Long Valley and Mono Basin geothermal areas, Eastern California. 83-747.
- Worthington, T.J., Gregory, M.R. and Bondarenko, V., 1999. The Denham Caldera on Raoul Volcano; dacitic volcanism in the Tonga-Kermadec Arc. *Journal of Volcanology and Geothermal Research*, 90(1-2): 29-48.
- Wright, I.C., Gamble, J.A. and Shane, P.A., 2003a. Submarine silicic volcanism of the Healy caldera, southern Kermadec arc (SW Pacific): I - volcanology and eruption mechanisms. *Bulletin of Volcanology*, 65(1): 15-29.
- Wright, I.C., Gamble, J.A. and Shane, P.A.R., 2003b. Submarine silicic volcanism of the Healy caldera, southern Kermadec arc (SW Pacific): I - volcanology and eruption mechanisms. *Bulletin of Volcanology*, 65(15-29).

- Yamada, E., Geological development of the Onikobe Caldera and its hydrothermal system.
- Yamamoto, A., 2004. Dense clustering of latest Cenozoic caldera-like basins of central Hokkaido, Japan, evidenced by gravimetric study. *Journal of the Faculty of Science, Hokkaido University, Series 7: Geophysics*, 12(2): 75-95.
- Yokoyama, I., 1958. Gravity survey on Kuttyaro Caldera lake [Hokkaido]. *J. Physics Earth, Tokyo*, 6(2): 75-79.
- Yokoyama, I., 1961. Gravity survey on the Aira Caldera, Kyusyu, Japan. *Nature (London)*, 191(4792): 966-967.
- Yokoyama, I., 1963. Structure of caldera and gravity anomaly. *Bulletin of Volcanology*, 26: 67-72.
- Yokoyama, I. and Mena, M., 1991. Structure of La Primavera Caldera, Jalisco, Mexico, deduced from gravity anomalies and drilling results. *Journal of Volcanology and Geothermal Research*, 47(1-2): 183-193.
- Yokoyama, I. and Ohkawa, S., 1986. The subsurface structure of the Aira Caldera and its vicinity in southern Kyushu, Japan. *Journal of Volcanology and Geothermal Research*, 30(3-4): 253-282.
- Yokoyama, I. and Suparto, S., 1970. Volcanological survey of Indonesian volcanoes; part 5, A gravity survey on and around Batur Caldera, Bali. *Bulletin of the Earthquake Research Institute = Tokyo Daigaku Jishin Kenkyusho Iho*, 48, Part 2: 317-329.
- Yokoyama, I. and Tajima, H., 1959. Gravity survey on the Kuttyaro Caldera by means of a Worden gravimeter. *Nature (London)*, 183(4663): 739-740.
- Yu, T.T., Fernández, J., Tseng, C.-L., Sevilla, M.J. and Araña, V., 2000. Sensitivity test of the geodetic network in Las Cañadas caldera, Tenerife, for volcano monitoring. *Journal of Volcanology and Geothermal Research*, 103: 393-408.
- Yun, S., Segall, P. and Zebker, H., 2006. Constraints on magma chamber geometry at Sierra Negra Volcano, Galapagos Islands, based on InSAR observations. *Journal of Volcanology and Geothermal Research*
- The Changing Shapes of Active Volcanoes - Recent Results and Advances in Volcano Geodesy, 150(1-3): 232-243.
- Zanella, E., De Astis, G., Dellino, P., Lanza, R. and La Volpe, L., 1999. Magnetic fabric and remanent magnetization of pyroclastic surge deposits from Vulcano (Aeolian Islands, Italy). *Journal of Volcanology and Geothermal Research*, 93(3-4): 217-236.